British Journal of Dermatology 2001: **145:** 1037–1051.

Index

Authors

ABENI, D. *see* RENZI, C.
ACAR, M.A. *see* KARAKAS, M.
AGOSTINI, E. *see* RENZI, C.
AHMED, A.R. *see* LEVERKUS, M.
AHMED, I., CHARLES-HOLMES, R. & BLACK, M.M. An unusual presentation of macular amyloidosis, 851
AHN, S.K. *see* WHANG, S.W.
AKAGI, T. *see* ASAGOE, K.
AKDENIZ, S. *see* HARMAN, M.
AL-DAWOUD, A. *see* LING, T.C.
ALESSANDRINO, E.P. *see* BRAZZELLI, V.
AL-HOQAIL, I.A. & CRAWFORD, R.I. Acute generalized exanthematous pustulosis induced by icodextrin, 1026
ALLEN, J. *see* GEE, B.C.
ALLEN, J. *see* PALMER, R.A.
ALLEN, M.H. *see* DAVISON, S.C.
ALLEN, M.H. *see* HERN, S.
ALPSOY, E. *see* ERMIS, O.
ALVUR, Y. *see* INANIR, I.
AMAGAI, M. *see* KIM, S-C.
AMAGAI, M. *see* MATSUO, K.
AMANO, M. *see* KUROKAWA, M.
AMEEN, M., EXARCHOU, V. & CHU, A.C. Topical calcipotriol as monotherapy and in combination with psoralen plus ultraviolet A in the treatment of vitiligo, 476
AMO, Y., OHTA, Y., HAMADA, Y. & KATSUOKA, K. Serum levels of interleukin-18 are increased in patients with cutaneous T-cell lymphoma and cutaneous natural killer-cell lymphoma, 674
ANAN, T. *see* SONODA, T.
ANDERSON, C.K., MOWAD, C.M., GOFF, M.E. & PELLE, M.T. Bullous pemphigoid arising in surgical wounds, 670
ANDO, Y. *see* YOSHINO, T.
ANDREASSON, H. *see* WRANGSJÖ, K.
AOKI, M., NIIMI, Y., TAKEZAKI, S., AZUMA, A., SEIKE, M. & KAWANA, S. CD30+ lymphoproliferative disorder: primary cutaneous anaplastic large cell lymphoma followed by lymphomatoid papulosis, 123
ARAGANE, Y. *see* YAMASAKI, F.
ARAMAKI, J., LÖFFLER, C., KAWANA, S., EFFENDY, I., HAPPLE, R. & LÖFFLER, H. Irritant patch testing with sodium lauryl sulphate: interrelation between concentration and exposure time, 704
ARATA, J. *see* ASAGOE, K.
ARDIGÒ, M. *see* BRAZZELLI, V.
ARLET, P. *see* ASTUDILLO, L.
ARLETT, C.F. *see* CLINGEN, P.H.
ARNOLD, W.P., VAN ANDEL, P., DE HOOP, D., DE JONG-TIEBEN, L. & VISSER-VAN ANDEL, M. A comparison of the effect of narrow-band ultraviolet B in the treament of psoriasis after salt-water baths and after 8-methoxypsoralen baths, 352
ASADA, H. *see* YOSHINO, T.
ASAGOE, K., TAKAHASHI, K., YOSHINO, T., KONDO, E., TANAKA, R., ARATA, J. & AKAGI, T. Numerical, morphological and phenotypic changes in Langerhans cells in the course of murine graft-versus-host disease, 918
ASANO, Y. *see* KUBO, M.
ASHIDA, M. *see* HARADA, S.
ASHTON, G.H.S. *see* WHITTOCK, N.V.
ASTUDILLO, L., SAILLER, L., CARREIRO, M., DAHAN, S., ESCOURROU, G., OLLIER, S. & ARLET, P. Cat scratch responsible for primary cutaneous *Nocardia asteroides* in an immunocompetent patient, 684
AU, W.Y., YEUNG, C.K., CHAN, H.H. & LIE, A.K. Generalized vitiligo after lymphocyte infusion for relapsed leukaemia, 1015
AUFF, E. *see* MORARU, E.
AUFF, E. *see* SCHNIDER, P.
AZUMA, A. *see* AOKI, M.
BAAS, P., SAARNAK, A.E., OPPELAAR, H., NEERING, H. & STEWART, F.A. Photodynamic therapy with *meta*-tetrahydroxyphenylchlorin for basal cell carcinoma: a phase I/II study, 75
BABA, M. *see* KARAKAS, M.
BACHTER, D. *see* QUERINGS, K.
BAIER, G. *see* LEVERKUS, M.
BALDA, B-R. *see* QUERINGS, K.
BALME, B. *see* TRUCHOT, F.
BANERJEE, A. *see* PALMER, R.A.
BANG, D. *see* SOHN, S.
BARKER, J.N.W.N. *see* DAVISON, S.C.
BARKER, J.N.W.N. *see* HERN, S.
BARLOW, R.J. *see* OZLUER, S.M.
BARON, S.E. *see* CUNLIFFE, W.J.
BARREGÅRD, L. *see* WRANGSJÖ, K.
BARRETT, W.A. *see* SCULLY, C.
BARTA, U. *see* GRAEFE, T.
BASTIEN, P. *see* WILLIS, C.M.
BAUER, R. *see* STEEN, A.E.
BAUER, R. *see* WENZEL, J.
BAUMERT, J. *see* SCHMID-WENDTNER, M-H.
BAVEREL, M. *see* WILLIS, C.M.
BAZMI, K. *see* CONNOLLY, M.
BEIER, C. *see* BÖER, A.
BEKKENK, M.W., KLUIN, P.M., JANSEN, P.M., MEIJER, C.J.L.M. & WILLEMZE, R. Lymphomatoid papulosis with a natural killer-cell phenotype, 318
BEN-AVIV, D. *see* LEE, J.B.
BERARDESCA, E. *see* FLUHR, J.W.
BERGER, J. *see* SCHÄFER, T.
BERNEBURG, M. *see* CLINGEN, P.H.
BERNER, A. *see* SOLER, A.M.
BERTI, E. *see* MARZANO, A.V.

© 2000 British Association of Dermatologists

BEZ, C., HALLETT, R., CARROZZO, M., LODI, G., GANDOLFO, S., CARRASSI, A., SCULLY, C. & PORTER, S. Lack of association between hepatotropic transfusion transmitted virus infection and oral lichen planus in British and Italian populations, 990
BHAGWANDAS, K., NICOLAOU, N. & ROBERTS, D.L. Intraosseous epidermoid cyst mimicking psoriasis, 366
BHIARI, I.C. *see* KIEKENS, R.C.M.
BHOGAL, B.S. *see* HARMAN, K.E.
BHOL, K. *see* LEVERKUS, M.
BHUSHAN, M., BURDEN, A.D., MCELHONE, K., JAMES, R., VANHOUTTE, F.P. & GRIFFITHS, C.E.M. Oral liarozole in the treatment of palmoplantar pustular psoriasis: a randomized, double-blind, placebo-controlled study, 546
BHUSHAN, M., COX, N.H. & CHALMERS, R.J.G. Eczéma craquelé resulting from acute oedema: a report of seven cases, 355
BIEBER, T. *see* GERDSEN, R.
BIEBER, T. *see* PETROW, W.
BIEBER, T. *see* STEEN, A.E.
BIEBER, T. *see* WENZEL, J.
BINDER, M. *see* SCHNIDER, P.
BJÖRKNER, B. *see* WRANGSJÖ, K.
BLACK, M.M. *see* AHMED, I.
BLACK, M.M. *see* HARMAN, K.E.
BLACK, M.M. *see* SETTERFIELD, J.
BLACK, M.M. *see* WOOLLONS, A
BLACKWELL, V. & VEGA-LOPEZ, F. Cutaneous larva migrans: clinical features and management of 44 cases presenting in the returning traveller, 434
BLAHETA, H.-J., PAUL, T., SOTLAR, K., MACZEY, E., SCHITTEK, B., PAUL, A., MOEHRLE, M., BREUNINGER, H., BUELTMANN, B., RASSNER, G. & GARBE, C. Detection of melanoma cells in sentinel lymph nodes, bone marrow and peripheral blood by a reverse transcription-polymerase chain reaction assay in patients with primary cutaneous melanoma: association with Breslow's tumour thinckness, 195
BLANCHET-BARDON, C. *see* INGEN-HOUSZ-ORO, S.
BLESIUS, C.R. *see* DICKEL, H.
BÖCKELER, W. *see* FÖLSTER-HOLST, R.
BOEHM, I. *see* WENZEL, J.
BÖER, A., OCHSENDORF, F.R., BEIER, C. & KAUFMANN, R. Effective removal of sea-urchin spines by erbium: YAG laser ablation, 169
BOFFA, M.J. *see* KIRBY, B.
BOLOGNIA, L.J. *see* SCHAFFER, J.V.
BORRADORI, L. *see* BROUARD, M.
BORRONI, G. *see* BRAZZELLI, V.
BORRONI, R.G. *see* BRAZZELLI, V.
BOTTEREL, F., ROMAND, S., CORNET, M., RECANATI, G., DUPONT, B. & BOURÉE, P. Dermatophyte pseudomycetoma of the scalp: a case report and review, 151
BÖTTJER, B. *see* WILHELM, K.P.
BOURÉE, P. *see* BOTTEREL, F.
BOURKE, J., COULSON, I. & ENGLISH, J. Guidelines for care of contact dermatitis, 877
BOURKE, J.F. *see* CONNOLLY, M.
BOVELL, D.L., CLUNES, M.T., ELDER, H.Y., MILSOM, J. & MCEWAN JENKINSON, D. Ultrastructure of the hyperhidrotic eccrine sweat gland, 298
BOWER, C.P.R., LEAR, J.T. & DE BERKER, D.A. Basal cell carcinoma follow-up practices by dermatologists: a national survey, 949
BRAGA, M. *see* RENZI, C.
BRAUTBAR, C. *see* HODAK, E.
BRAZZELLI, V., ARDIGÒ, M., CHIESA, M.G., VASSALLO, C., VARETTONI, M., BORRONI, R.G., ALESSANDRINO, E.P. & BORRONI, G. Flexural erythematous eruption following autologous peripheral blood stem cell transplantation: a study of four cases, 490
BRENNEISEN, P. *see* HUNZELMANN, N.
BREUNINGER, H. *see* BLAHETA, H.-J.
BRITTON, S. *see* SCHÖN, T.
BROCCOLETTI, R. *see* CARROZZO, M.
BRÖCKER, E.B. *see* LEVERKUS, M.
BROCKER, E.-B. *see* SCHMIDT, E.
BROUARD, M., PIGUET, V., CHAVAZ, P. & BORRADORI, L. SchönleinHenoch purpura associated with losartan treatment and presence of antineutrophil cytoplasmic antibodies of x specificity, 362
BRUNNER, E. *see* GUTGESELL, C.
BRUZE, M. *see* ISAKSSON, M.
BUCKLEY, D.A. & DU VIVIER, A.W.P. The therapeutic use of topical contact sensitizers in benign dermatoses, 385
BUELTMANN, B. *see* BLAHETA, H.-J.
BUNKER, C.B. *see* GRABCZYNSKA, S.A.
BURCK, G. *see* SCHUPP, P.
BURDEN, A.D. *see* BHUSHAN, M.
BURIJNZEEL-KOOMEN, C.A.F.M. *see* KIEKENS, R.C.M.
BUSQUETS, A.C., JEAN-BAPTISTE, S. & CHAN, L.S. Primary brain B-cell lymphoma developing in a patient with pemphigus vulgaris receiving immunosuppressive drugs, 510
CALANDRI, C. *see* MARUCCI, G.
ÇALKA, Ö. *see* METIN, A.
CALONJE, E. *see* CHILD, F.J.
CAMACHO, F. *see* MAZUECOS, J.
CAMERON, H. *see* MOSELEY, H.
CARBONE, M. *see* CARROZZO, M.
CAREY, B.S. *see* MILLARD, T.P.
CARRACEDO, A. *see* DE LA TORRE, C.
CARRASCO, L. *see* IZQUIERDO, M.J.
CARRASSI, A. *see* BEZ, C.
CARREIRO, M. *see* ASTUDILLO, L.
CARROZZO, M. *see* BEZ, C.
CARROZZO, M., FASANO, M.E., BROCCOLETTI, R., CARBONE, M., COZZANI, E., RENDINE, S., ROGGERO, S., PARODI, A. & GANDOLFO, S. HLA-DQB1 alleles in Italian patients with mucous membrane pemphigoid predominantly affecting the oral cavity, 805
CASSIMAN, J.J. *see* ZAMANI, M.
CERIO, R. *see* ZELGER, B.W.H.
CETIN, L. *see* ERMIS, O.

CHA, J-H. *see* JANG, H-S.
CHALLACOMBE, S.J. *see* HARMAN, K.E.
CHALLACOMBE, S.J. *see* SETTERFIELD, J.
CHALMERS, R.J.G. *see* BHUSHAN, M.
CHALMERS, R.J.G. *see* OWEN, C.M.
CHALMERS, R.J.G., O'SULLIVAN, T., OWEN, C.M & GRIFFITHS, C.E.M. A systematic review of treatments for guttate psoriasis, 891
CHAN, H.H. *see* AU, W.Y.
CHAN, H-L. *see* WONG, W-R.
CHAN, L.S. *see* BUSQUETS, A.C.
CHANG, S-E., CHOI, J.H., SUNG, K.J., MOON, K.C. & KOH, J.K. Cutaneous nasal-type CD56+ natural killer/T-cell lymphoma preceded by Epstein-Barr virus antigenaemia, 668
CHANG, Y.T., TSAI, S.F., WANG, W.J., HONG, C.J., HUANG, C.Y. & WONG, C.K. A study of apolipoproteins E and A-I in cutaneous amyloidosis, 422
CHANGGENG, SHAO *see* HENG, GU
CHARLES-HOLMES, R. *see* AHMED, I.
CHAVAZ, P. *see* BROUARD, M.
CHAVE, T.A. & HUTCHINSON, P.E. Pyoderma gangrenosum, subcorneal pustular dermatosis, IgA paraproteinaemia and IgG antiepithelial antibodies, 852
CHAVE, T.A., VARMA, S. & KNIGHT, A.G. Dystrophic calcinosis in venous ulcers: a cause of treatment failure, 364
CHEN, G-Y., CHEN, Y-H., HSU, M.M.L., TSAO, C-J. & CHEN, W-C. Onychomadesis and onycholysis associated with capecitabine, 521
CHEN, M-J. *see* WONG, W-R.
CHEN, W-C. *see* CHEN, G-Y.
CHEN, Y-H. *see* CHEN, G-Y.
CHERRY, G.W. *see* JAMES, T.J.
CHI, S-M. *see* LI, C-X.
CHIESA, M.G. *see* BRAZZELLI, V.
CHILD, F.J., RUSSELL-JONES, R., WOOLFORD, A.J., CALONJE, E. & WHITTAKER, S.J. Immunoglobulin heavy chain variable region family expression in primary cutaneous B-cell lymphomas, 680
CHIU, H-C. *see* LIN, Y-C.
CHO, K.H. *see* YOUN, C.S.
CHO, N.J. *see* KIM, S-C.
CHOI, E.H. *see* WHANG, S.W.
CHOI, J.H. *see* CHANG, S-E.
CHOI, S-W., SON, B-W., SON, Y-S., PARK, Y-I., LEE, S-K. & CHUNG, M-H. The wound-healing effect of a glycoprotein fraction isolated from aloe vera, 535
CHOWDHURY, M.M.U. *see* HOLME, S.A.
CHRISTOPHERS, E. *see* FÖLSTER-HOLST, R.
CHU, A.C. *see* AMEEN, M.
CHU, A.C. *see* PAPADAVID, E.
CHU, A.C. Xanthogranuloma is the archetype of non-Langerhans cell histiocytoses: reply from author, 370
CHUAN, M-T. *see* LIN, Y-C.
CHUEN, B.Y. *see* OZLUER, S.M.
CHUNG, M-H. *see* CHOI, S-W.
CHUNG, Y.L. *see* KIM, S-C.
CINN, Y-W. *see* KIM, Y-C.
CLARK, C. *see* MOSELEY, H.
CLAUDY, A. *see* REITAMO, S.
CLINGEN, P.H., BERNEBURG, M., PETIT-FRÈRE, C., WOOLONS, A., LOWE, J.E., ARLETT, C.F. & GREEN, M.H.L. Contrasting effects of an ultraviolet B and an ultraviolet A tanning lamp on interleukin-6, tumour necrosis factor-α and intercellular adhesion molecule-1 expression, 54
CLOT, J. *see* DEREURE, O.
CLUNES, M.T. *see* BOVELL, D.L.
COIRE, C.I. *see* MIMOUNI, D.
COLLINA, G. *see* MARUCCI, G.
COLLINS, P. *see* MARKHAM, T.
CONNOLLY, M., BAZMI, K., O'CONNELL, M., LYONS, J.F. & BOURKE, J.F. Cryotherapy of viral warts: a sustained 10-s freeze is more effective than the traditional method, 554
CONTRERAS, F. *see* MORENO-BUENO, G.
CORDEN, L.D. *see* PORTER, R.M.
CORNET, M. *see* BOTTEREL, F.
COSSU, S. *see* SATTA, R.
COSTELLO, C. *see* GRABCZYNSKA, S.A.
COTTONI, F. *see* SATTA, R.
COTTRELL, C.A. *see* RAPP, S.R.
COULSON, I. *see* BOURKE, J.
COULSON, I.H. *see* CUNLIFFE, W.J.
COULSON, I.H. *see* LING, T.C.
COVELLO, S.P. *see* LEE, J.B.
COX, A. *see* MILLARD, T.P.
COX, N.H. *see* BHUSHAN, M.
COX, N.H., WEST, N.C. & POPPLE, A.W. Multicentric reticulohistiocytosis associated with idiopathic myelofibrosis, 1033
COZZANI, E. *see* CARROZZO, M.
COZZANI, E. *see* MARZANO, A.V.
CRANSTON, D. *see* POWELL, J.
CRAWFORD, R.I. *see* AL-HOQAIL, I.A.
CRIBIER, B.J. & PAUL, C. Long-term efficacy of antifungals in toenail onychomycosis: a critical review, 446
CUNLIFFE, W.J., BARON, S.E. & COULSON, I.H. A clinical and therapeutic study of 29 patients with infantile acne, 463
CZEPULKOWSKI, B. *see* MAO, X.
CZUWARA-LADYKOWSKA, J., GORE, E.A., SHEGOGUE, D.A., SMITH, E.A. & TROJANOWSKA, M. Differential regulation of transforming growth factor β receptors type I and II by platelet-derived growth factor in human dermal fibroblasts, 569
DAHAN, S. *see* ASTUDILLO, L.
DAHAN-GUEDJ, A. *see* DEL GIUDICE, P.
DAIKOKU, N. *see* MIYAGAWA, S.
DANNO, K. *see* MATSUO, K.
DANOUX, L. *see* JEANMARIE, C.
DARVAY, A., WHITE, I.R., RYCROFT, R.J.G., JONES, A.B., HAWK, J.L.M. & MCFADDEN, J.P. Photoallergic contact dermatitis is uncommon, 597
DAVID, M. *see* HODAK, E.
DAVID, M. *see* MIMOUNI, D.

DAVISON, S.C., ALLEN, M.H., MALLON, E. & BARKER, J.N.W.N. Contrasting patterns of streptococcal superantigen-induced T-cell proliferation in guttate vs.chronic plaque psoriasis, 245
DAWE, R. *see* MOSELEY, H.
DE BERKER, D.A. *see* BOWER, C.P.R.
DE HOOG, G.S. *see* GERDSEN, R.
DE HOOP, D. *see* ARNOLD, W.P.
DE JONG, M.C.J.M. *see* PAS, H.H.
DE JONG-TIEBEN, L. *see* ARNOLD, W.P.
DE LA BRASSINNE, M. *see* RICHERT, B.
DE LA TORRE, C., VEGA, A., CARRACEDO, A. & TORIBIO, J. Identification of *Mycobacterium marinum* in sea-urchin granulomas, 114
DE LACHARRIÈRE, O. *see* WILLIS, C.M.
DE PANFILIS, G. Alterations in molecular killing mechanisms: implications in skin disease, 868
DEGUCHI, H. *see* MATSUO, K.
DEL GIUDICE, P., DELLAMONICA, P., DURANT, J., RAHELINRINA, V., GROBUSCH, M.P., JANITSCHKE, K., DAHAN-GUEDJ, A. & LE FICHOUX, Y. A case of gnathostomiasis in a European traveller returning from Mexico, 487
DELLAMONICA, P. *see* DEL GIUDICE, P.
DENDA, M. Epidermal proliferative response induced by sodium dodecyl sulphate varies with environmental humidity, 252
DEREURE, O., PORTALES, P., CLOT, J. & GUILHOU, J-J. Decreased expression of Fas (APO-1/CD95) on lesional CD4+ T lymphocytes in cutaneous T cell lymphomas: correlations with blood data, 1031
DICKEL, H., KUSS, O., BLESIUS, C.R., SCHMIDT, A. & DIEPGEN, T.L. Occupational skin diseases in Northern Bavaria between 1990 and 1999: a population-based study, 453
DIEPGEN, T. *see* FLUHR, J.W.
DIEPGEN, T.L. *see* DICKEL, H.
DISKO, R. *see* FÖLSTER-HOLST, R.
DJUKANOVIC, D., HOFMANN, U., SUCKER, A. & SCHADENDORF, D. Melanoma tumour markers S100B and MIA: evaluation of stability in serum and blood upon storage and processing, 1030
DOMHOF, S. *see* GUTGESELL, C.
DU VIVIER, A.W.P. *see* BUCKLEY, D.A.
DUFF, G.W. *see* MILLARD, T.P.
DUPONT, B. *see* BOTTEREL, F.
DURANI, B.K., KURZEN, H., HARTSCHUH, W. & NAEHER, H. Koebner phenomenon due to scratch test in scleromyxoedema, 306
DURANI, B.K., KURZEN, H., JAECKEL, A., KUNER, N., NAEHER, N. & HARTSCHUH, W. Malignant transformation of multiple dermal cylindromas, 653
DURANT, J. *see* DEL GIUDICE, P.
EADY, R.A.J. *see* WHITTOCK, N.V.
EEDY, D.J. What's new in atopic dermatitis?, 380
EFFENDY, I. *see* ARAMAKI, J.
EGAWA, K. *see* MITSUISHI, T.
EICKERT, A. *see* HUNZELMANN, N.
ELDER, H.Y. *see* BOVELL, D.L.
ELIAS, P.M. *see* WHANG, S.W.
ELSNER, P. *see* GRAEFE, T.
ENGLISH, J. Current concepts in contact dermatitis, 527
ENGLISH, J. *see* BOURKE, J.
ENZENSBERGER, R. *see* LUDWIG, R.J.
ERMIS, O., ALPSOY, E., CETIN, L. & YILMAZ, E. Is the efficacy of psoralen plus ultraviolet A therapy for vitiligo enhanced by concurrent topical calcipotriol? A placebo-controlled double-blind study, 472
ESCOURROU, G. *see* ASTUDILLO, L.
ESMAIL, A. *see* WILLIAMS, T.L.
EXARCHOU, V. *see* AMEEN, M.
FABRIZI, G. & MASSI, G. Angiomatoid Spitz naevus: a close simulator of regressing malignant melanoma, 845
FALKENBERG, K. *see* KIEHL, P.
FARRAR, C.W., GUERIN, D.M. & WILSON, N.J.E. Eosinophilic cellulitis associated with squamous cell carcinoma of the bronchus, 678
FASANO, M.E. *see* CARROZZO, M.
FEINGOLD, K.R. *see* WHANG, S.W.
FEINMESSER, M. *see* MIMOUNI, D.
FERGUSON, J. *see* MOSELEY, H.
FERNÁNDEZ-DE-LA-PUEBLA, R. *see* VÉLEZ, A.
FISCHER, M. *see* WOHLRAB, J.
FITZGERALD, D. *see* WILLIAMS, T.L.
FLETCHER, C.L., MOORE, M.K. & HAY, R.J. Endonyx onychomycosis due to *Trichophyton soudanense* in two Somalian siblings, 687
FLETCHER, C.L., MOORE, M.K. & HAY, R.J. Eumycetoma due to *Madurella mycetomatis* acquired in Jamaica, 1018
FLUHR, J.W., KUSS, O., DIEPGEN, T., LAZZERINI, S., PELOSI, A., GLOOR, M. & BERARDESCA, E. Testing for irritation with a multifactorial approach: comparison of eight non-invasive measuring techniques on five different irritation types, 696
FOCKE, M. *see* WÖHRL, S.
FÖLSTER-HOLST, R., DISKO, R., RÖWERT, J., BÖCKELER, W., KREISELMAIER, I. & CHRISTOPHERS, E. Cercarial dermatitis contracted via contact with an aquarium: case report and review, 638
FRANCHI, J. *see* GONZALEZ, M-C.
FRANCIS, N. *see* GRABCZYNSKA, S.A.
FUCHS, B. *see* OSTMEIER, H.
FUCHS, P.G. *see* HAAS, N.
FUJII, H. *see* YOSHINO, T.
FUJIMOTO, K. *see* YOSHIDA, Y.
FUJIMOTO, M. *see* YAZAWA, N.
FUJIMURA, T. *see* TSUBOI, H.
FUJIMURA, T. *see* TSUKAHARA, K
FUTEI, Y. *see* MATSUO, K.
GACH, J.E., SABROE, R.A., GREAVES, M.W. & KOBZA BLACK, A. Methotrexate-responsive chronic idiopathic urticaria: a report of two cases, 340
GALLATIN, W.M. *see* KIRBY, B.
GALLEGO, M. *see* PEREZ, C.

GAMALLO, C. *see* MORENO-BUENO, G.
GANDOLFO, S. *see* BEZ, C.
GANDOLFO, S. *see* CARROZZO, M.
GÅNEMO, A. *see* VIROLAINEN, E.
GANGYUN, YE *see* HENG, GU
GAO, T-W. *see* LI, C-X.
GARBE, C. *see* BLAHETA, H.-J.
GARRIDO, M. *see* RAMLOGAN, D.
GEE, B.C., ALLEN, J., KHUMALO, N.P. & WOJNAROWSKA, F. Bullous pemphigoid in pregnancy: contrasting behaviour in two patients, 994
GERDSEN, R. *see* PETROW, W.
GERDSEN, R. *see* WENZEL, J.
GERDSEN, R., UERLICH, M., DE HOOG, G.S., BIEBER, T. & HORRÉ, R. Sporotrichoid phaeohyphomycosis due to *Alternaria infectoria*, 484
GERLACH, R.F. *see* SANTOS, M.C.L.G.
GERRITSEN, M.J.P. *see* SWINKELS, O.Q.J.
GEUSAU, A., TSCHACHLER, E., MEIXNER, M., PÄPKE, O., STINGL, G. & MCLACHLAN, M. Cutaneous elimination of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, 938
GIERCKSKY, K.E. *see* SOLER, A.M.
GILKES, J. *see* SCULLY, C.
GLAZEBROOK, C. *see* SMITHARD, A.
GLOOR, M. *see* FLUHR, J.W.
GLUSAC, E.J. *see* SCHAFFER, J.V.
GNIADECKA, M., WULF, H.C., JOHANSSON, C.K., ULLMAN, S., HALBERG, P. & ROSSEN, K. Cutaneous tophi and calcinosis diagnosed *in vivo* by Raman spectroscopy, 672
GOFF, M.E. *see* ANDERSON, C.K.
GOLLNICK, H. *see* THIELITZ, A.
GONZALEZ, M-C., MARTEAU, C., FRANCHI, J. & MIGLIORE-SAMOUR, D. Cytochrome P450 4A11 expression in human keratinocytes: effects of ultraviolet irradiation, 749
GOODLAD, J.R. Spindle-cell B-cell lymphoma presenting in the skin, 313
GORE, E.A. *see* CZUWARA-LADYKOWSKA, J.
GÖTZ, M *see* WÖHRL, S.
GRABBE, J. *see* ZUBERBIER, T.
GRABCZYNSKA, S.A. *see* MILLARD, T.P.
GRABCZYNSKA, S.A., TOH, C.T., FRANCIS, N., COSTELLO, C. & BUNKER, C.B. Rosai–Dorfman disease complicated by autoimmune haemolytic anaemia: case report and review of a multisystem disease with cutaneous infiltrates, 323
GRAEFE, T., KONRAD, H., BARTA, U., WOLLINA, U. & ELSNER, P. Successful ultraviolet A1 treatment of cutaneous sarcoidosis, 354
GRAHAM-BROWN, R.A.C. Letter from the Editor, 377
GRAMMATICA, A. *see* MARZANO, A.V.
GRATIAN, M.J. *see* HARMAN, K.E.
GREAVES, M.W. *see* GACH, J.E.
GREEN, J. & SINCLAIR, R.D. Oral cyclosporin does not arrest progression of androgenetic alopecia, 842
GREEN, M.H.L. *see* CLINGEN, P.H.
GRÉZARD, P. *see* TRUCHOT, F.
GRIFFITHS, C.E.M. *see* BHUSHAN, M.
GRIFFITHS, C.E.M. *see* CHALMERS, R.J.G.
GRIFFITHS, C.E.M. *see* KIRBY, B.
GRIFFITHS, C.E.M. *see* OWEN, C.M.
GRIFFITHS, C.E.M. *see* REITAMO, S.
GRIFFITHS, C.E.M. *see* WILLIAMS, T.L.
GRIFFITHS, W.A.D. *see* WHITTOCK, N.V.
GROBUSCH, M.P. *see* DEL GIUDICE, P.
GRUNDMANN-KOLLMANN, M. *see* LUDWIG, R.J.
GRUNDMANN-KOLLMANN, M., KAUFMAN, R. & ZOLLNER, T.M. Treatment of atopic dermatitis with mycophenolate mofetil, 351
GUERIN, D.M. *see* FARRAR, C.W.
GUILHOU, J-J. *see* DEREURE, O.
GUPTA, A.K. *see* GUPTA, M.A.
GUPTA, M.A. & GUPTA, A.K. Dissatisfaction with skin appearance among patients with eating disorders and non-clinical controls, 110
GUTGESELL, C., HEISE, S., SEUBERT, S., SEUBERT, A., DOMHOF, S., BRUNNER, E. & NEUMANN, C. Double-blind placebo-controlled house dust mite control measures in adult patients with atopic dermatitis, 70
HAAS, N., FUCHS, P.G., HERMES, B. & HENZ, B.M. Remission of epidermodysplasia verruciformis-like skin eruption after highly active antiretroviral therapy in a human immunodeficiency virus-positive patient, 669
HALBERG, P. *see* GNIADECKA, M.
HALLETT, R. *see* BEZ, C.
HAMADA, Y. *see* AMO, Y.
HAMBY, C.V. *see* KAGESHITA, T.
HAPPLE, R. *see* ARAMAKI, J.
HARADA, S., HORIKAWA, T., ASHIDA, M., KAMO, T., NISHIOKA, E. & ICHIHASHI, M. Aspirin enhances the induction of type I allergic symptoms when combined with food and exercise in patients with food-dependent exercise-induced anaphylaxis, 336
HARLAND, C.C. *see* HERN, S.
HARMAN, K.E., GRATIAN, M.J., BHOGAL, B.S., CHALLACOMBE, S.J. & BLACK, M.M. The use of two substrates for indirect immunofluorescence in the diagnosis of pemphigus: reply from authors, 181
HARMAN, M., SEKIN, S. & AKDENIZ, S. Human dermatophilosis mimicking ringworm, 170
HARRIS, D.W. *see* JOLLIFFE, V.M.L.
HARTSCHUH, W. *see* DURANI, B.K.
HASHIMOTO, T. *see* MATSUO, K.
HASHIMOTO, T. *see* SCHMIDT, E.
HAWK, J.L.M. *see* DARVAY, A.
HAWK, J.L.M. *see* MILLARD, T.P.
HAY, R.J. *see* FLETCHER, C.L.
HEENEN, M. *see* TAS, S.
HEISE, S. *see* GUTGESELL, C.
HELMDACH, M. *see* THIELITZ, A.
HEMMER, W. *see* WÖHRL, S.
HENG, GU, XIANGSHENG, CHEN, KUN, CHEN, YAN, YAN, HONG, JING, XIUQIN, CHEN, CHANGGENG, SHAO

& GANGYUN, YE. Evaluation of diagnostic criteria for atopic dermatitis: validity of the criteria of Williams *et al* in a hospital-based setting, 428
HENZ, B.M. *see* HAAS, N.
HENZ, B.M. *see* ZUBERBIER, T.
HERMES, B. *see* HAAS, N.
HERN, S., ALLEN, M.H., SOUSA, A.R., HARLAND, C.C., BARKER, J.N.W.N., LEVICK, J.R. & MORTIMER, P.S. Immunohistochemical evaluation of psoriatic plaques following selective photothermolysis of the superficial capillaries, 45
HERNANDEZ-PANDO, R.H. *see* SCHÖN, T.
HEYER, G. *see* KÄGI, M.K.
HIRAGUN, T. *see* MORITA, E.
HIRAKO, Y. *see* LEVERKUS, M.
HIROHARA, D. *see* ISHIGURO, N.
HIROTA, S. *see* MIYAGAWA, S.
HODAK, E. *see* MIMOUNI, D.
HODAK, E., LAPIDOTH, M., KOHN, Y., DAVID, M., BRAUTBAR, C., KFIR, B., NARINSKI, R., SAFIRMAN, C., MARON, L. & KLEIN, T. Mycosis fungoides: HLA class II associations among Ashkenazi and non-Ashkenazi Jewish patients, 974
HOFMAN, D. *see* JAMES, T.J.
HOFMANN, U. *see* DJUKANOVIC, D.
HOHENLEUTNER, U. *see* SCHERER, K.
HOLME, S.A., VARMA, S., CHOWDHURY, M.M.U. & ROBERTS, D.L. Audit of a melanoma screening day in the U.K.: clinical results, participant satisfaction and perceived value, 784
HOMAN, S. *see* KARAKAS, M.
HONG, C.J. *see* CHANG, Y.T.
HONG, JING *see* HENG, GU
HÖNIGSMANN, H. *see* MAIER, H.
HORIKAWA, T. *see* HARADA, S.
HORIUCHI, N. *see* MATSUMOTO, K.
HORRÉ, R. *see* GERDSEN, R.
HOSHINO, N. *see* SUGIURA, H.
HOSOI, J., TANIDA, M. & TSUCHIYA, T. Mitigation of stress-induced suppression of contact hypersensitivity by odorant inhalation, 716
HOTTA, M. *see* ISHIGURO, N.
HSU, M.M.L. *see* CHEN, G-Y.
HUANG, C. *see* ZAMANI, M.
HUANG, C.Y. *see* CHANG, Y.T.
HUGHES, G.R.V. *see* MILLARD, T.P.
HUGHES, M.A. *see* JAMES, T.J.
HUNZELMANN, N. *see* THEILE-OCHE, S.
HUNZELMANN, N., NISCHT, R., BRENNEISEN, P., EICKERT, A. & KRIEG, T. Increased deposition of fibulin-2 in solar elastosis and its colocalization with elastic fibres, 217
HUTCHINSON, P.E. *see* CHAVE, T.A.
ICHIHASHI, M. *see* HARADA, S.
ICHIHASHI, M. *see* YOSHIZAKI, Y.
ICHIJIMA, K. *see* MIYAGAWA, S.
IDE, C. *see* YOSHIDA, Y.
IDEMORI, M. *see* KUROKAWA, M.
IHN, H *see* KUBO, M.
IHN, H. *see* YAZAWA, N.
IIZUKA, H. *see* MATSUMOTO, K.
IKEDA, M. *see* OGATA, K.
IMOKAWA, G. *see* MANAKA, I.
IMOKAWA, G. *see* TSUKAHARA, K
INANIR, I. & ALVUR, Y. Granuloma faciale with extrafacial lesions, 360
INGEN-HOUSZ-ORO, S., VIGNON-PENNAMEN, M.D. & BLANCHET-BARDON, C. Bullous and non-bullous ichthyosiform erythroderma associated with generalized pustular psoriasis of von Zumbusch type, 823
ISAKSSON, M. & BRUZE, M. Repetitive usage testing with budesonide in experimental nickel-allergic contact dermatitis in individuals hypersensitive to budenoside, 38
ISHIBASHI, A. *see* TOMINAGA, A.
ISHIDA-YAMAMOTO, A. *see* MATSUMOTO, K.
ISHIGURO, N., HIROHARA, D., HOTTA, M., TAKANO, K. & KAWASHIMA, M. Linear erythema craquelé due to acute oedema in anorexia nervosa, 357
ISHIHARA, T. *see* KAGESHITA, T.
ISHII, K. *see* MATSUO, K.
ISHIKAWA, O. *see* SHIMIZU, A.
ITAMI, S. *see* YOSHINO, T.
ITO, A. *see* SHIMOMURA, Y.
ITO, K. *see* SHIMOMURA, Y.
ITO, M. *see* SHIMOMURA, Y.
IVENS, U.I., STEINKJER, B., SERUP, J. & TETENS, V. Ointment is evenly spread on the skin, in contrast to creams and solutions, 264
IZQUIERDO, M.J., PASTOR, M.A., CARRASCO, L., MORENO, C., KUTZNER, H., SANGUEZA, O.P. & REQUENA, L. Epithelioid blue naevus of the genital mucosa: a report of four cases, 496
JABLONSKA, S. *see* JARZBEK-CHORZELSKA, M.
JACKSON, H.A. *see* OLIVRY, T.
JAECKEL, A. *see* DURANI, B.K.
JAMES, R. *see* BHUSHAN, M.
JAMES, T.J., HUGHES, M.A., HOFMAN, D., CHERRY, G.W. & TAYLOR, R.P. Antioxidant characteristics of chronic wound fluid, 185
JANG, H-S., CHA, J-H., OH, C-K. & KWON, K-S. Spitz naevus showing clinical features of both granuloma pyogenicum and pigmented naevus, 349
JANITSCHKE, K. *see* DEL GIUDICE, P.
JANSEN, P.M. *see* BEKKENK, M.W.
JARISCH, R. *see* WÖHRL, S.
JARZBEK-CHORZELSKA, M., STRASZ-KOACISKA, Z., SULEJ, J. & JABLONSKA, S. The use of two substrates for indirect immunofluorescence in the diagnosis of pemphigus, 178
JEAN-BAPTISTE, S. *see* BUSQUETS, A.C.
JEANMARIE, C., DANOUX, L. & PAULY, G. Glycation during human dermal intrinsic and actinic aging: an *in vivo* and *in vitro* model study, 10
JINNIN, M. *see* KUBO, M.
JOHANSSON, C.K. *see* GNIADECKA, M.

JOLLIFFE, V.M.L., HARRIS, D.W., MORRIS, R., WALLACE, P. & WHITTAKER, S.J. Can we use video images to triage pigmented lesions?, 904
JONES, A.B. *see* DARVAY, A.
JONKMAN, M.F. *see* LEVERKUS, M.
JONKMAN, M.F. *see* PAS, H.H.
JOURDAIN, R. *see* WILLIS, C.M.
KADONO, S. *see* MANAKA, I.
KAGESHITA, T. *see* WAKASUGI, S.
KAGESHITA, T., HAMBY, C.V., ISHIHARA, T., MATSUMOTO, K., SAIDA, T. & ONO, T. Loss of β-catenin expression associated with disease progression in malignant melanoma, 210
KÄGI, M.K. & HEYER, G. Efficacy of basiliximab, a chimeric anti-interleukin-2 receptor monoclonal antibody, in a patient with severe chronic atopic dermatitis, 350
KAMEYOSHI, Y. *see* MORITA, E.
KAMO, T. *see* HARADA, S.
KANKI, H. *see* YOSHIZAKI, Y.
KAPP, A. *see* KIEHL, P.
KARAKAS, M., HOMAN, S., BABA, M., ÖZPOYRAZ, M., ACAR, M.A. & MEMISOGLU, H.R. Reactive multiple keratoacanthoma in a patient with chronic renal insufficiency, 846
KARENKO, L. *see* NEVALA, H.
KARLSSON, S. *see* WRANGSJÖ, K.
KASKEL, P. Why ultraviolet protection with clothing makes sense, 1030
KASKEL, P., SANDER, S., KRON, M., PETER, R.U. & KRÄHN, G. Outdoor activities in childhood: a protective factor for cutaneous melanoma? Results of a case–control study in 271 matched pairs, 602
KATANO, H. *see* SATO-MATSUMURA, K.C.
KATSUOKA, K. *see* AMO, Y.
KATSUOKA, K. *see* TSUBOI, H.
KAUFMAN, R. *see* GRUNDMANN-KOLLMANN, M.
KAUFMANN, R. *see* BÖER, A.
KAUFMANN, R. *see* LUDWIG, R.J.
KAWADA, A. *see* YAMASAKI, F.
KAWANA, S. *see* AOKI, M.
KAWANA, S. *see* ARAMAKI, J.
KAWASHIMA, M. *see* ISHIGURO, N.
KAWASHIMA, M. *see* MANAKA, I.
KAWASHIMA, M. *see* MITSUISHI, T.
KAYABA, M. *see* NAKAFUSA, J.
KELLY, S. *see* WILLIAMS, T.L.
KENDRA, J.R. *see* LING, T.C.
KERE, J. *see* VIROLAINEN, E.
KFIR, B. *see* HODAK, E.
KHAMASHTA, M.A. *see* MILLARD, T.P.
KHUMALO, N.P. *see* GEE, B.C.
KIEHL, P., FALKENBERG, K., VOGULBRUCH, M. & KAPP, A. Tissue eosinophilia in acute and chronic atopic dermatitis: a morphometric approach using quantitative image analysis of immunostaining, 720
KIEKENS, R.C.M., THEPEN, T., OOSTING, A.J., BHIARI, I.C., VAN DE WINKEL, J.G.J., BURIJNZEEL-KOOMEN, C.A.F.M. & KNOL, E.F. Heterogeneity within tissue-specific macrophage and dendritic cell populations during cutaneous inflammation in atopic dermatitis, 957
KIKUCHI, K. *see* KOMINE, M.
KIKUCHI, K. *see* YAZAWA, N.
KILLINGSWORTH, M. *see* KOSSARD, S.
KIM, B-S. *see* PAIK, J-H.
KIM, J. *see* KIM, S-C.
KIM, N-I. *see* PAIK, J-H.
KIM, S-C., CHUNG, Y.L., KIM, J., CHO, N.J. & AMAGAI, M. Pemphigus vulgaris with autoantibodies to desmoplakin, 838
KIM, S-T. *see* PARK, S-W.
KIM, Y-C., PARK, H-J., CINN, Y-W. & VANDERSTEEN, D.P. Benign glandular schwannoma, 834
KIMATA, K. *see* TOMINAGA, A.
KIRBY, B., BOFFA, M.J., NAYAK, N., GALLATIN, W.M., MARTIN, S. & GRIFFITHS, C.E.M. The effect of treatment on serum levels of soluble intercellular adhesion molecules and tumour necrosis factor-receptor 1 in psoriasis, 1027
KITAMURA, Y. *see* MIYAGAWA, S.
KITTLER, H. *see* SCHNIDER, P.
KLEIN, T. *see* HODAK, E.
KLOOSTERHUIS, G.J. *see* PAS, H.H.
KLUIN, P.M. *see* BEKKENK, M.W.
KNIGHT, A.G. *see* CHAVE, T.A.
KNOL, E.F. *see* KIEKENS, R.C.M.
KOBAYASHI, T. *see* MANAKA, I.
KOBZA BLACK, A. *see* GACH, J.E.
KODAMA, H. *see* OGATA, K.
KOEDAM, M.I. *see* VAN STEENSEL, M.A.M.
KOH, J.K. *see* CHANG, S-E.
KOHN, Y. *see* HODAK, E.
KOIZUMI, H. *see* SATO-MATSUMURA, K.C.
KÖLMEL, K. *see* SCHUPP, P.
KOMAI, A. *see* MATSUO, K.
KOMINE, M., OKINAGA, M., TAKEDA, F., NASHIRO, K., KIKUCHI, K., MURAKAMI, T., SOMA, Y. & TAMAKI, K. Patterns of basal cell keratin 14 expression in Bowen's disease: a possible marker for tumour progression, 223
KONDEATIS, E. *see* MILLARD, T.P.
KONDO, E. *see* ASAGOE, K.
KONRAD, H. *see* GRAEFE, T.
KOSSARD, S., SCURRY, J. & KILLINGSWORTH, M. Necrotizing infundibular crystalline folliculitis, 165
KRÄHN, G. *see* KASKEL, P.
KRÄNKE, B. *see* LEGAT, F.J.
KRANZ, G. *see* SCHNIDER, P.
KRAUSZ, T. *see* PAPADAVID, E.
KREISELMAIER, I. *see* FÖLSTER-HOLST, R.
KRIEG, T. *see* HUNZELMANN, N.
KRIEG, T. *see* THEILE-OCHE, S.
KRIEG, V. *see* OSTMEIER, H.
KROMMINGA, A. *see* SCHMIDT, E.
KRON, M. *see* KASKEL, P.
KUBO, M. *see* YAZAWA, N.

KUBO, M., IHN, H, YAMANE, K., ASANO, Y., JINNIN, M. & TAMAKI, K. Differential expression of transforming growth factor-β receptors in squamous cell carcinoma, 840
KUMRAH, L., RAMAM, M., SHAH, P., PANDEY, R.M. & PASRICHA, J.S. Pituitary–adrenal function following dexamethasone–cyclophosphamide pulse therapy for pemphigus, 944
KUN, CHEN *see* HENG, GU
KUNER, N. *see* DURANI, B.K.
KUO, T-T. *see* WONG, W-R.
KUROKAWA, M., AMANO, M., MIYAGUNI, H., TATEYAMA, S., OGATA, K., IDEMORI, M. & SETOYAMA, M. Eccrine poromas in a patient with mycosis fungoides treated with electron beam therapy, 830
KURZEN, H. *see* DURANI, B.K.
KUSS, O. *see* DICKEL, H.
KUSS, O. *see* FLUHR, J.W.
KUTZNER, H. *see* IZQUIERDO, M.J.
KWON, H.J *see* SOHN, S.
KWON, K-S. *see* JANG, H-S.
LAHFA, M. *see* REITAMO, S.
LALINGA, A.V. *see* MIRACCO, C.
LANDTHALER, M. *see* SCHERER, K.
LANE, E.B. *see* PORTER, R.M.
LAPIDOTH, M. *see* HODAK, E.
LAZZERINI, S. *see* FLUHR, J.W.
LE FICHOUX, Y. *see* DEL GIUDICE, P.
LEAR, J.T. *see* BOWER, C.P.R.
LEARY, M.R. *see* RAPP, S.R.
LEE, E-S. *see* SOHN, S.
LEE, J.B., BEN-AVIV, D. & COVELLO, S.P. The diagnostic quandary of hereditary haemorrhagic telangiectasia vs. CREST syndrome, 646
LEE, S. *see* NOVAKOVIC, L.
LEE, S. *see* SOHN, S.
LEE, S.H. *see* WHANG, S.W.
LEE, S.I. *see* SOHN, S.
LEE, S-K. *see* CHOI, S-W.
LEEKASSA, R. *see* SCHÖN, T.
LEGAT, F.J., WOLF, P. & KRÄNKE, B. Anaphylaxis to 5-methoxypsoralen during photochemotherapy, 821
LEVERKUS, M., BHOL, K., HIRAKO, Y., PAS, H., SITARU, C., BAIER, G., BRÖCKER, E.B., JONKMAN, M.F., AHMED, A.R. & ZILLIKENS, D. Cicatricial pemphigoid with circulating autoantibodies to β4 integrin, bullous pemphigoid 180 and bullous pemphigoid 230, 998
LEVICK, J.R. *see* HERN, S.
LEWIS, C.M. *see* MILLARD, T.P.
LI, C-X., WAN, Y-H., CHI, S-M., WANG, G., SUN, L-C., ZHANG, Y-G., ZHAO, X-D., GAO, T-W. & LIU, Y-F. Purification of natural antikeratin autoantibodies from normal human serum and their effect on human keratinocytes cultured *in vitro*, 737
LIE, A.K. *see* AU, W.Y.
LILLIEBORG, S. *see* STYMNE, B.
LILLINGTON, D.M. *see* MAO, X.
LIN, Y-C., CHIU, H-C. & CHUAN, M-T. Multiple minute parakeratotic keratoses of the hands in a patient with systemic lupus erythematosus, 682
LINE, S.R.P. *see* SANTOS, M.C.L.G.
LING, T.C., KENDRA, J.R., AL-DAWOUD, A. & COULSON, I.H. Lichenoid vasculitis associated with myeproliferative disorder: successful treatment with dapsone, 359
LIPPOLD, A. *see* OSTMEIER, H.
LIU, Y-F. *see* LI, C-X.
LODI, G. *see* BEZ, C.
LÖFFLER, C. *see* ARAMAKI, J.
LÖFFLER, H. *see* ARAMAKI, J.
LORENZ, S. *see* SCHERER, K.
LOUSSOUARN, G. African hair growth parameters, 294
LOWE, J.E. *see* CLINGEN, P.H.
LOZA, E. *see* PEREZ, C.
LUDWIG, R.J., WOODFOLK, J.A., GRUNDMANN-KOLLMANN, M., ENZENSBERGER, R., RUNNE, U., PLATTS-MILLS, T.A.E., KAUFMANN, R. & ZOLLNER, T.M. Chronic dermatophytosis in lamellar ichthyosis: relevance of a T-helper 2-type immune response to *Trichophyton rubrum*?, 518
LUNNY, D.P. *see* PORTER, R.M.
LYONS, J.F. *see* CONNOLLY, M.
MACLEOD, T. *see* MOSELEY, H.
MACZEY, E. *see* BLAHETA, H.-J.
MAESTRI, A. *see* MARUCCI, G.
MAIER, H. & HÖNIGSMANN, H. Assessment of acitretin-treated female patients of childbearing age and subsequent risk of teratogenicity, 1028
MALLON, E. *see* DAVISON, S.C.
MALLON, E. *see* SETTERFIELD, J.
MANAKA, I., KADONO, S., KAWASHIMA, M., KOBAYASHI, T. & IMOKAWA, G. Stimulated secretion of endothelin 1 explains hyperpigmentation in seborrhoeic keratosis, 895
MAO, X., LILLINGTON, D.M., CZEPULKOWSKI, B., YOUNG, B.D., RUSSELL-JONES, R. & WHITTAKER, S. A case of adult T-cell leukaemia/lymphoma characterized by multiplex-fluorescence *in situ* hybridization, comparative genomic hybridization, fluorescence *in situ* hybridization and cytogenetics, 117
MARKEY, A.C. *see* OZLUER, S.M.
MARKHAM, T. & COLLINS, P. Topical 5-aminolaevulinic acid photodynamic therapy for extensive scalp actinic kerotoses, 502
MARON, L. *see* HODAK, E.
MARSCH, W.C. *see* WOHLRAB, J.
MARTEAU, C. *see* GONZALEZ, M-C.
MARTIN, S. *see* KIRBY, B.
MARUCCI, G., SGARBANTI, E., MAESTRI, A., CALANDRI, C. & COLLINA, G. Gemcitabine-associated CD8+ CD30+ pseudolymphoma, 650
MARZANO, A.V., GRAMMATICA, A., COZZANI, E., TERRACINA, M. & BERTI, E. Paraneoplastic pemphigus. A report of two cases associated with chronic B-cell lymphocytic leukaemia, 127
MASSARELLI, G. *see* SATTA, R.
MASSI, G. *see* FABRIZI, G.

MATSUMOTO, K. *see* KAGESHITA, T.
MATSUMOTO, K., MUTO, M., SEKI, S., SAIDA, T., HORIUCHI, N., TAKAHASHI, H., ISHIDA-YAMAMOTO, A. & IIZUKA, H. Loricrin keratoderma: a cause of congenital ichthyosiform erythroderma and collodion baby, 657
MATSUMURA, T. *see* SATO-MATSUMURA, K.C.
MATSUO, K., KOMAI, A., ISHII, K., FUTEI, Y., AMAGAI, M., DEGUCHI, H., DANNO, K. & HASHIMOTO, T. Pemphigus foliaceus with prominent neutrophilic pustules, 132
MAWICK, R. *see* OSTMEIER, H.
MAY, C.R. *see* WILLIAMS, T.L.
MAYER, C. *see* RENDL, M.
MAZUECOS, J., RODRIGUEZ-PICHARDO, A. & CAMACHO, F. Pubic trichotillomania in an adult man, 1034
MCELHONE, K. *see* BHUSHAN, M.
MCEWAN JENKINSON, D. *see* BOVELL, D.L.
MCFADDEN, J.P. *see* DARVAY, A.
MCFADDEN, J.P. *see* WAKELIN, S.H.
MCGRATH, J.A. *see* WHITTOCK, N.V.
MCGREGOR, J.M. *see* MILLARD, T.P.
MCLACHLAN, M. *see* GEUSAU, A.
MCLEAN, W.H.I. *see* PORTER, R.M.
MCNALLY, N.J., WILLIAMS, H.C. & PHILLIPS, D.R. Atopic eczema and the home environment, 730
MEDING, B. *see* WRANGSJÖ, K.
MEIJER, C.J.L.M. *see* BEKKENK, M.W.
MEIXNER, M. *see* GEUSAU, A.
MELCHI, C.F. *see* RENZI, C.
MEMISOGLU, H.R. *see* KARAKAS, M.
MESSER, G. *see* SCHMIDT, E.
METIN, A., ÇALKA, Ö. & UGRAS, S. Lichen planopilaris coexisting with erythema dyschromicum perstans, 522
MEYER, H. *see* SCHUPP, P.
MICHIMUKAI, E. *see* OGATA, K.
MIGLIORE-SAMOUR, D. *see* GONZALEZ, M-C.
MIHARA, S. *see* MORITA, E.
MIKAMI, Y. *see* SHIMIZU, A.
MILLARD, T.P., KONDEATIS, E., COX, A., WILSON, A.G., GRABCZYNSKA, S.A., CAREY, B.S., LEWIS, C.M., KHAMASHTA, M.A., DUFF, G.W., HUGHES, G.R.V., HAWK, J.L.M., VAUGHAN, R.W & MCGREGOR, J.M. A candidate gene analysis of three photosensitivity disorders: cutaneous lupus erythematosus, polymorphic light eruption and actinic prurigo, 229
MILSOM, J. *see* BOVELL, D.L.
MIMOUNI, D., DAVID, M., FEINMESSER, M., COIRE, C.I. & HODAK, E. Vitiligo-like leucoderma during photochemotherapy for mycosis fungoides, 1008
MIRACCO, C., LALINGA, A.V., SBANO, P., RUBEGNI, P. & ROMANO, C. Delayed skin reaction to Red Sea coral injury showing superficial granulomas and atypical CD30+ lymphocytes: report of a case, 849
MISAGO, N. *see* NAKAFUSA, J.
MITSUISHI, T., KAWASHIMA, M., EGAWA, K. & SATA, T. Novel intracytoplasmic inclusion bodies in human papillovirus-associated warts, 171
MIURA, Y. *see* NAKAFUSA, J.
MIYAGAWA, S., HIROTA, S., PARK, Y-D., YAMASAKI, M., DAIKOKU, N., MORIKAWA, H., YOSHIOKA, A., KITAMURA, Y. & ICHIJIMA, K. Cutaneous mastocytosis associated with a mixed germ cell tumour of the ovary: report of a case and review of the literature, 309
MIYAGUNI, H. *see* KUROKAWA, M.
MIYOSHI, K. *see* OGATA, K.
MOEHRLE, M. *see* BLAHETA, H.-J.
MONTES, M. *see* PEREZ, C.
MOON, K.C. *see* CHANG, S-E.
MOORE, M.K. *see* FLETCHER, C.L.
MORARU, E. *see* SCHNIDER, P.
MORARU, E., VOLLER, B., AUFF, E. & SCHNIDER, P. Dose thresholds and local anhidrotic effect of botulinum A toxin injection (Dysport®), 368
MORENO, C. *see* IZQUIERDO, M.J.
MORENO, J-C. *see* VÉLEZ, A.
MORENO-BUENO, G., GAMALLO, C., PÉREZ-GALLEGO, L., CONTRERAS, F. & PALACIOS, J. β-catenin expression in pilomatrixomas.Relationship with β-catenin gene mutations and comparison with β-catenin expression in normal hair follicles, 576
MORGAN, M. *see* WILLIAMS, T.L.
MORGAN, M.B., STEVENS, G.L., SOMACH, S. & TANNENBAUM, M. Carcinoma arising in epidermoid cyst: a case series and aetiological investigation of human papillomavirus, 505
MORIKAWA, H. *see* MIYAGAWA, S.
MORITA, E., KAMEYOSHI, Y., MIHARA, S., HIRAGUN, T. & YAMAMOTO, S. γ-Gliadin: a presumptive allergen causing wheat-dependent exercise-induced anaphylaxis, 182
MORIWAKI, S. *see* TSUKAHARA, K
MORRIS, R. *see* JOLLIFFE, V.M.L.
MORTIMER, P.S. *see* HERN, S.
MORTON, C.A. Treating basal cell carcinoma: has photodynamic therapy come of age?, 1
MOSELEY, H., CAMERON, H., MACLEOD, T., CLARK, C., DAWE, R. & FERGUSON, J. New sunscreens confer improved protection for photosensitive patients in the blue light region, 789
MOULD, M. *see* WILLIAMS, T.L.
MOWAD, C.M. *see* ANDERSON, C.K.
MURAKAMI, T. *see* KOMINE, M.
MURAKAMI, T., OHTSUKI, M. & NAKAGAWA, H. Acral pseudolymphomatous angiokeratoma of children: a pseudolymphoma rather than an angiokeratoma, 512
MUTO, M. *see* MATSUMOTO, K.
NABESHIMA, N. *see* SATO-MATSUMURA, K.C.
NAEHER, H. *see* DURANI, B.K.
NAEHER, N. *see* DURANI, B.K.
NAGAI, Y. *see* SHIMIZU, A.
NAKAFUSA, J., MISAGO, N., MIURA, Y., KAYABA, M., TANAKA, T. & NARISAWA, Y. The importance of serum creatine phosphokinase level in the early diagnosis, and as a prognostic factor, of *Vibrio vulnificus* infection, 280
NAKAGAWA, H. *see* MURAKAMI, T.
NAKAMURA, Y. *see* ONISHI, Y.

NARINSKI, R. *see* HODAK, E.
NARISAWA, Y. *see* NAKAFUSA, J.
NASHIRO, K. *see* KOMINE, M.
NAYAK, N. *see* KIRBY, B.
NEERING, H. *see* BAAS, P.
NEGESSE, Y. *see* SCHÖN, T.
NEUBER, K. *see* WEHNER, J.
NEUMANN, C. *see* GUTGESELL, C.
NEUMANN, C. *see* SCHUPP, P.
NEVALA, H., KARENKO, L., VÄKEVÄ, L. & RANKI, A. Proapoptotic and antiapoptotic markers in cutaneous T-cell lymphoma skin infiltrates and lymphomatoid papulosis, 928
NICOLAOU, N. *see* BHAGWANDAS, K.
NIEMI, K-M. *see* VIROLAINEN, E.
NIENHAUS, A. *see* SCHÄFER, T.
NIEUWEBOER-KROBOTOVA, L. *see* ZAMANI, M.
NIIMI, Y. *see* AOKI, M.
NISCHT, R. *see* HUNZELMANN, N.
NISHIMURA, K. *see* SHIMIZU, A.
NISHIOKA, E. *see* HARADA, S.
NOMOTO, S *see* SHIMOMURA, Y.
NOVAKOVIC, L., LEE, S., ORCHARD, G.E., SHEEHAN, J.M., YOUNG, A.R. & WALKER, S.L. Effects of solar-stimulated radiation dose fractionation on CD1a+ Langerhans cells and CD11b+ macrophages in human skin, 237
O'CONNELL, M. *see* CONNOLLY, M.
O'SULLIVAN, T. *see* CHALMERS, R.J.G.
O'SULLIVAN, T. *see* OWEN, C.M.
OAKAMOTO, T. *see* OGATA, K.
OCHSENDORF, F.R. *see* BÖER, A.
OGATA, K. *see* KUROKAWA, M.
OGATA, K., IKEDA, M., MIYOSHI, K., YAMAMOTO, Y., YAMAMOTO, T., OSAKI, T., MICHIMUKAI, E., TANAKA, Y., SAKAMOTO, A., OAKAMOTO, T. & KODAMA, H. Naevoid basal cell carcinoma syndrome with a palmar epidermoid cyst, milia and maxillary cycts, 508
OGG, G. *see* PALMER, R.A.
OH, C-K. *see* JANG, H-S.
OHARA, K. *see* ONISHI, Y.
OHTA, Y. *see* AMO, Y.
OHTSUKA, T., OKITA, H., OTSUKA, S., YAMAKAGE, A. & YAMAZAKI, S. Hydroa vacciniforme with latent Epstein–Barr virus infection, 509
OHTSUKI, M. *see* MURAKAMI, T.
OIKARINEN, A. Systems dermatology and clinical dermatological research, 184
OKINAGA, M. *see* KOMINE, M.
OKITA, H. *see* OHTSUKA, T.
OLIVRY, T. & JACKSON, H.A. An alopecic phenotype of canine pemphigus vulgaris?, 176
OLLIER, S. *see* ASTUDILLO, L.
ONISHI, Y., OHARA, K., NAKAMURA, Y. & SATOMI, H. Hereditary benign telangiectasia: image analysis of hitherto unknown association with arteriovenous malformation, 641
ONO, K. *see* SONODA, T.
ONO, T. *see* KAGESHITA, T.
ONO, T. *see* WAKASUGI, S.
OOSTING, A.J. *see* KIEKENS, R.C.M.
OPPELAAR, H. *see* BAAS, P.
ORCHARD, G.E. *see* NOVAKOVIC, L.
ORMEROD, A.D. CONSORT your submissions: an update for authors, 378
ORMEROD, A.D. What is new in therapy?, 691
ÖRTENGREN, U. *see* WRANGSJÖ, K.
OSAKI, T. *see* OGATA, K.
OSTMEIER, H., FUCHS, B., OTTO, F., MAWICK, R., LIPPOLD, A., KRIEG, V. & SUTER, L. Prognostic immunohistochemical markers of primary human melanomas, 203
OTSUKA, S. *see* OHTSUKA, T.
OTTO, F. *see* OSTMEIER, H.
OWEN, C.M *see* CHALMERS, R.J.G.
OWEN, C.M., CHALMERS, R.J.G., O'SULLIVAN, T. & GRIFFITHS, C.E.M. A systematic review of antistreptococcal interventions for guttate and chronic plaque psoriasis, 886
OZLUER, S.M., CHUEN, B.Y., BARLOW, R.J. & MARKEY, A.C. Hypertrophic scar formation following carbon dioxide laser ablation of plantar warts in cyclosporin-treated patients, 1005
ÖZPOYRAZ, M *see* KARAKAS, M.
PAIK, J-H., YOON, J-B., SIM, W-Y., KIM, B-S. & KIM, N-I. The prevalence and types of androgenetic alopecia in Korean men and women, 95
PALACIOS, J. *see* MORENO-BUENO, G.
PALMER, R.A., OGG, G., ALLEN, J., BANERJEE, A., RYATT, K.S., RATNAVEL, R. & WOJNAROWSKA, F. Vancomycin-induced linear IgA disease with autoantibodies to BP180 and LAD285, 816
PANDEY, R.M. *see* KUMRAH, L.
PAPADAVID, E., PIGNATELLI, M., ZAKYNTHINOS, S., KRAUSZ, T. & CHU, A.C. The potential role of abnormal E-cadherin and α-, β- and γ-catenin immunoreactivity in the determination of the biological behaviour of keratocanthoma, 582
PÄPKE, O. *see* GEUSAU, A.
PARK, H-J. *see* KIM, Y-C.
PARK, S-W., SUH, K-S., WANG, H-Y., KIM, S-T. & SUNG, H-S. β-Catenin expression in the transitional cell zone of pilomatricoma, 624
PARK, Y-D. *see* MIYAGAWA, S.
PARK, Y-I. *see* CHOI, S-W.
PARODI, A. *see* CARROZZO, M.
PAS, H. *see* LEVERKUS, M.
PAS, H.H., KLOOSTERHUIS, G.J., DE JONG, M.C.J.M. & JONKMAN, M.F. False-negative results in immunoblot assay of serum IgA antibodies reactive with the 180-kDa bullous pemphigoid antigen: the importance of primary incubation temperature, 986
PASQUINI, P. *see* RENZI, C.
PASRICHA, J.S. *see* KUMRAH, L.
PASTOR, M.A. *see* IZQUIERDO, M.J.
PAUL, A. *see* BLAHETA, H.-J.

PAUL, C. *see* CRIBIER, B.J.
PAUL, T. *see* BLAHETA, H.-J.
PAULY, G. *see* JEANMARIE, C.
PELLE, M.T. *see* ANDERSON, C.K.
PELOSI, A. *see* FLUHR, J.W.
PEREZ, C., MONTES, M., GALLEGO, M. & LOZA, E. Atypical presentation of adult Still's disease with generalized rash and hyperferritinaemia, 187
PÉREZ-GALLEGO, L. *see* MORENO-BUENO, G.
PERROT, H. *see* TRUCHOT, F.
PETER, R.U. *see* KASKEL, P.
PETIT-FRÈRE, C. *see* CLINGEN, P.H.
PETROW, W., GERDSEN, R., UERLICH, M., RICHTER, O. & BIEBER, T. Successful topical immunotherapy of bowenoid papulosis with imiquimod, 1022
PFEFFER, M. *see* SCHUPP, P.
PHILLIPS, D.R. *see* MCNALLY, N.J.
PICARDI, A. *see* RENZI, C.
PICKUP, L. *see* WILLIAMS, T.L.
PIGNATELLI, M. *see* PAPADAVID, E.
PIGUET, V. *see* BROUARD, M.
PLATTS-MILLS, T.A.E. *see* LUDWIG, R.J.
PLEWIG, G. *see* SCHMID-WENDTNER, M-H.
POPPLE, A.W. *see* COX, N.H.
PORTALES, P. *see* DEREURE, O.
PORTER, R.M., CORDEN, L.D., LUNNY, D.P., SMITH, F.J.D., LANE, E.B. & MCLEAN, W.H.I. Keratin K6irs is specific to the inner root sheath of hair follicles in mice and humans, 558
PORTER, S. *see* BEZ, C.
POWELL, J., ROBSON, A., CRANSTON, D., WOJNAROWSKA, F. & TURNER, R. High incidence of lichen sclerosus in patients with squamous cell carcinoma of the penis, 85
PRINS, M. *see* SWINKELS, O.Q.J.
PUDDU, P. *see* RENZI, C.
QUERINGS, K., BALDA, B-R. & BACHTER, D. Treatment of acquired reactive perforating collagenesis with allopurianol, 174
RAHELINRINA, V. *see* DEL GIUDICE, P.
RAMAM, M. *see* KUMRAH, L.
RAMESH, V. *see* SALOTRA, P.
RAMLOGAN, D., TAN, B.B. & GARRIDO, M. Linear focal elastosis, 188
RANKI, A. *see* NEVALA, H.
RAPP, S.R., COTTRELL, C.A. & LEARY, M.R. Social coping strategies associated with quality of life decrements among psoriasis patients, 610
RASSNER, G. *see* BLAHETA, H.-J.
RATNAVEL, R. *see* PALMER, R.A.
RATNAVEL, R. *see* ROEST, M.A.B
RECANATI, G. *see* BOTTEREL, F.
REES, M. *see* SCULLY, C.
REICHE, L. *see* WILLIS, C.M.
REINHOLD, K. *see* THEILE-OCHE, S.
REITAMO, S., SPURLS, P., SASSOLAS, B., LAHFA, M., CLAUDY, A., GRIFFITHS, C.E.M. & THE SIROLIMUS EUROPEAN PSORIASIS STUDY GROUP, C.E.M. Efficacy of sirolimus (rapamycin) administered concomitantly with a subtherapeutic dose of cyclosporin in the treatment of severe psoriasis: a randomized controlled trial, 438
RENDINE, S. *see* CARROZZO, M.
RENDL, M., MAYER, C., WENINGER, W. & TSCHACHLER, E. Topically applied lactic acid increases spontaneous secretion of vascular endothelial growth factor by human reconstructed epidermis, 3
RENZI, C., ABENI, D., PICARDI, A., AGOSTINI, E., MELCHI, C.F., PASQUINI, P., PUDDU, P. & BRAGA, M. Factors associated with patient satisfaction with care among dermatological outpatients, 617
REQUENA, L. *see* IZQUIERDO, M.J.
RICHERT, B., UHODA, I. & DE LA BRASSINNE, M. Hair loss after terbinafine treatment, 842
RICHTER, O. *see* PETROW, W.
RIETVELD, F. *see* VAN STEENSEL, M.A.M.
RING, J. *see* SCHÄFER, T.
ROBERTS, D.L. *see* BHAGWANDAS, K.
ROBERTS, D.L. *see* HOLME, S.A.
ROBSON, A. *see* POWELL, J.
RODRIGUEZ-PICHARDO, A. *see* MAZUECOS, J.
ROEST, M.A.B & RATNAVEL, R. Yellow nails associated with gold therapy for rheumatoid arthritis, 855
ROGGERO, S. *see* CARROZZO, M.
ROMAND, S. *see* BOTTEREL, F.
ROMANO, C. *see* MIRACCO, C.
RÖPKE, E-M. *see* THIELITZ, A.
ROSSEN, K. *see* GNIADECKA, M.
RÖWERT, J. *see* FÖLSTER-HOLST, R.
RUBEGNI, P. *see* MIRACCO, C.
RUNNE, U. *see* LUDWIG, R.J.
RUSSELL-JONES, R. *see* CHILD, F.J.
RUSSELL-JONES, R. *see* MAO, X.
RUSSELL-JONES, R. The value of reverse transcription-polymerase chain reaction in malignant melanoma, 193
RYATT, K.S. *see* PALMER, R.A.
RYCROFT, R.J.G. *see* DARVAY, A.
RYCROFT, R.J.G. *see* WAKELIN, S.H.
SAARIALHO-KERE, U.K. *see* VIROLAINEN, E.
SAARNAK, A.E. *see* BAAS, P.
SABROE, R.A. *see* GACH, J.E.
SAFIRMAN, C. *see* HODAK, E.
SAHA, K.C. Cutaneous malignancy in arsenicosis, 185
SAIDA, T. *see* KAGESHITA, T.
SAIDA, T. *see* MATSUMOTO, K.
SAILLER, L. *see* ASTUDILLO, L.
SAKAMOTO, A. *see* OGATA, K.
SALOTRA, P., SREENIVAS, G., RAMESH, V. & SUNDAR, S. A simple and sensitive test for diagnosis of post kala-azar dermal leishmaniasis, 630
SANDER, S. *see* KASKEL, P.
SANGUEZA, O.P. *see* IZQUIERDO, M.J.
SANTOS, M.C.L.G., SOUZA, A.P., GERLACH, R.F., TABCHOURY, C.M. & LINE, S.R.P. Inhibition of human gelatinases (matrix metalloproteinase-2 and matrix

metalloproteinase-9) activity by zinc oxide: a possible mechanism to enhance wound healing, 854
SARNER, M. *see* SCULLY, C.
SASSOLAS, B. *see* REITAMO, S.
SATA, T. *see* MITSUISHI, T.
SATA, T. *see* SATO-MATSUMURA, K.C.
SATO-MATSUMURA, K.C., MATSUMURA, T., NABESHIMA, N., KATANO, H., SATA, T. & KOIZUMI, H. Serological and immunohistochemical detection of human herpesvirus 8 in Kaposi's sarcoma after immunosuppressive therapy for bullous pemphigoid, 633
SATOMI, H. *see* ONISHI, Y.
SATTA, R., COSSU, S., MASSARELLI, G. & COTTONI, F. Anaplastic transformation of classic Kaposi's sarcoma: clinicopathological study of five cases, 847
SAVIN, J.A. Current causes of fixed drug eruption in the U.K., 667
SBANO, P. *see* MIRACCO, C.
SCHADENDORF, D. *see* DJUKANOVIC, D.
SCHÄFER, T., NIENHAUS, A., VIELUF, D., BERGER, J. & RING, J. Epidemiology of acne in the general population: the risk of smoking, 100
SCHAFFER, J.V., GLUSAC, E.J. & BOLOGNIA, L.J. The eclipse naevus: tan centre with stellate brown rim, 1023
SCHARFFETTER-KOCHANEK, K. *see* THEILE-OCHE, S.
SCHERER, K., LORENZ, S., WIMMERSHOFF, M., LANDTHALER, M. & HOHENLEUTNER, U. Both the flashlamp-pumped dye laser and the long-pulsed tunable dye laser can improve results in port-wine stain therapy, 79
SCHITTEK, B. *see* BLAHETA, H.-J.
SCHMIDT, A. *see* DICKEL, H.
SCHMIDT, E., SKROBEK, C., KROMMINGA, A., HASHIMOTO, T., MESSER, G., BROCKER, E.-B., YANCEY, K.B. & ZILLIKENS, D. Cicatricial pemphigoid: IgA and IgG autoantibodies target epitopes on both intra- and extracellular domains of bullous pemphigoid antigen 180, 778
SCHMID-WENDTNER, M-H., BAUMERT, J., WENDTNER, C-M., PLEWIG, G. & VOLKENANDT, M. Risk of second primary malignancies in patients with cutaneous melanoma, 981
SCHNEIDER, L-A. *see* THEILE-OCHE, S.
SCHNIDER, P. *see* MORARU, E.
SCHNIDER, P., MORARU, E., KITTLER, H., BINDER, M., KRANZ, G., VOLLER, B. & AUFF, E. Treatment of focal hyperhidrosis with botulinum toxin type A: long-term follow-up in 61 patients, 289
SCHÖN, T., HERNANDEZ-PANDO, R.H., NEGESSE, Y., LEEKASSA, R., SUNDQVIST, T. & BRITTON, S. Expression of inducible nitric oxide synthase and nitrotyrosine in borderline leprosy lesions, 809
SCHUPP, P., PFEFFER, M., MEYER, H., BURCK, G., KÖLMEL, K. & NEUMANN, C. Cowpox virus in a 12-year-old boy: rapid identification by an orthopoxvirus-specific polymerase chain reaction, 146
SCULLY, C. *see* BEZ, C.
SCULLY, C., BARRETT, W.A., GILKES, J., REES, M., SARNER, M. & SOUTHCOTT, R.J. Oral acanthosis nigricans, the sign of Leser–Trélat and cholangiocarcinoma, 506
SCURRY, J. *see* KOSSARD, S.
SEIKE, M. *see* AOKI, M.
SEKI, S. *see* MATSUMOTO, K.
SEKIN, S. *see* HARMAN, M.
SERUP, J. *see* IVENS, U.I.
SETOYAMA, M. *see* KUROKAWA, M.
SETTERFIELD, J., THERON, J., VAUGHAN, R.W., WELSH, K.I., MALLON, E., WOJNAROWSKA, F., CHALLACOMBE, S.J. & BLACK, M.M. Mucous membrane pemphigoid: HLA-DQB1*0301 is associated with all clinical sites of involvement and may be linked to antibasement membrane IgG production, 406
SEUBERT, A. *see* GUTGESELL, C.
SEUBERT, S. *see* GUTGESELL, C.
SGARBANTI, E. *see* MARUCCI, G.
SGHAR, S.S. *see* ZAMANI, M.
SHAH, P. *see* KUMRAH, L.
SHAW, N.T. *see* WILLIAMS, T.L.
SHAW, S. *see* WILLIS, C.M.
SHEEHAN, J.M. *see* NOVAKOVIC, L.
SHEGOGUE, D.A. *see* CZUWARA-LADYKOWSKA, J.
SHIMIZU, A., ISHIKAWA, O., NAGAI, Y., MIKAMI, Y. & NISHIMURA, K. Primary cutaneous nocardiosis due to *Nocardia nova* in a healthy woman, 154
SHIMIZU, T. *see* YURA, A.
SHIMOMURA, Y., NOMOTO, S, YAMADA, S., ITO, A., ITO, K. & ITO, M. Chronic glomerulonephritis remarkably improved after surgery for acne conglobata of the buttocks, 363
SIEGERS, C-P. *see* WILHELM, K.P.
SIM, W-Y. *see* PAIK, J-H.
SIMONART, T. *see* TAS, S.
SINCLAIR, R.D. *see* GREEN, J.
SITARU, C. *see* LEVERKUS, M.
SKELTON, H. *see* SMITH, K.J.
SKROBEK, C. *see* SCHMIDT, E.
SMITH, E.A. *see* CZUWARA-LADYKOWSKA, J.
SMITH, F.J.D. *see* PORTER, R.M.
SMITH, H. *see* WAKELIN, S.H.
SMITH, K.J., WELSH, M. & SKELTON, H. *Trichophyton rubrum* showing deep dermal invasion directly from the epidermis in immunosuppressed patients, 344
SMITHARD, A., GLAZEBROOK, C. & WILLIAMS, H.C. Acne prevalence, knowledge about acne and psychological morbidity in mid-adolescence: a community-based study, 274
SOHN, S., BANG, D., LEE, E-S., KWON, H.J, LEE, S.I. & LEE, S. Experimental studies on the antiviral agent famciclovir in Behçet's disease symptoms in ICR mice, 799
SOLER, A.M., WARLOE, T., BERNER, A. & GIERCKSKY, K.E. A follow-up study of recurrence and cosmesis in completely responding superficial and nodular basal cell carcinomas treated with methyl 5-aminolaevulinate-based

photodynamic therapy alone and with prior curettage, 467
SOMA, Y. *see* KOMINE, M.
SOMA, Y. *see* YAZAWA, N.
SOMACH, S. *see* MORGAN, M.B.
SON, B-W. *see* CHOI, S-W.
SON, Y-S. *see* CHOI, S-W.
SONODA, T., ANAN, T., ONO, K. & YANAGISAWA, S. Chronic urticaria associated with dental infection, 516
SOTLAR, K. *see* BLAHETA, H.-J.
SOUSA, A.R. *see* HERN, S.
SOUTHCOTT, R.J. *see* SCULLY, C.
SOUZA, A.P. *see* SANTOS, M.C.L.G.
SPAEPEN, M. *see* ZAMANI, M.
SPURLS, P. *see* REITAMO, S.
SREENIVAS, G. *see* SALOTRA, P.
STEEN, A.E., STEEN, K.H., BAUER, R. & BIEBER, T. Successful treatment of cutaneous Langerhans cells histiocytosis with low-dose methotrexate, 137
STEEN, K.H. *see* STEEN, A.E.
STEIJLEN, P.M. *see* VAN STEENSEL, M.A.M.
STEINKJER, B. *see* IVENS, U.I.
STEVENS, G.L. *see* MORGAN, M.B.
STEWART, E. *see* WILLIAMS, T.L.
STEWART, F.A. *see* BAAS, P.
STINGL, G. *see* GEUSAU, A.
STRASZ-KOACISKA, Z. *see* JARZBEK-CHORZELSKA, M.
STYMNE, B. & LILLIEBORG, S. Plasma concentrations of lignocaine and prilocaine after a 24-h application of analgesic cream (EMLA®) to leg ulcers, 530
SUCKER, A. *see* DJUKANOVIC, D.
SUGIURA, H., UEHARA, M., HOSHINO, N. & YAMAJI, A. An open study of a lotion formulation to improve tolerance of tacrolimus in facial atopic dermatitis, 795
SUH, K-S. *see* PARK, S-W.
SULEJ, J. *see* JARZBEK-CHORZELSKA, M.
SUN, L-C. *see* LI, C-X.
SUNDAR, S. *see* SALOTRA, P.
SUNDQVIST, T. *see* SCHÖN, T.
SUNG, H-S. *see* PARK, S-W.
SUNG, K.J. *see* CHANG, S-E.
SUTER, L. *see* OSTMEIER, H.
SWINKELS, O.Q. *see* VAN STEENSEL, M.A.M.
SWINKELS, O.Q.J., PRINS, M., TOSSERAMS, E.F.A., GERRITSEN, M.J.P., VAN DER VALK, P.G.M. & VAN DER KERKHOF, P.C.M. The influence of a topical corticosteroid on short-contact high-dose dithranol therapy, 63
TABCHOURY, C.M. *see* SANTOS, M.C.L.G.
TAJIMA, S. *see* TOMINAGA, A.
TAKAHASHI, H. *see* MATSUMOTO, K.
TAKAHASHI, K. *see* ASAGOE, K.
TAKANO, K. *see* ISHIGURO, N.
TAKEDA, F. *see* KOMINE, M.
TAKEMA, Y. *see* TSUKAHARA, K
TAKEZAKI, S. *see* AOKI, M.
TAMAKI, K. *see* KOMINE, M.
TAMAKI, K. *see* KUBO, M.
TAMAKI, K. *see* YAZAWA, N.
TAN, B.B. *see* RAMLOGAN, D.
TANAKA, R. *see* ASAGOE, K.
TANAKA, T. *see* NAKAFUSA, J.
TANAKA, Y. *see* OGATA, K.
TANIDA, M. *see* HOSOI, J.
TANNENBAUM, M. *see* MORGAN, M.B.
TAS, S., SIMONART, T. & HEENEN, M. Angio-oedema caused by high doses of *N*-acetylcysteine in patients with anticonvulsant hypersensitivity syndrome, 856
TATEYAMA, S. *see* KUROKAWA, M.
TAYLOR, R.P. *see* JAMES, T.J.
TERRACINA, M. *see* MARZANO, A.V.
TESUKA, T. *see* YAMASAKI, F.
TETENS, V. *see* IVENS, U.I.
THE SIROLIMUS EUROPEAN PSORIASIS STUDY GROUP, C.E.M. *see* REITAMO, S.
THEILE-OCHE, S., SCHNEIDER, L-A., REINHOLD, K., HUNZELMANN, N., KRIEG, T. & SCHARFFETTER-KOCHANEK, K. Acquired perforating collagenesis: is it due to damage by scratching?, 173
THEPEN, T. *see* KIEKENS, R.C.M.
THERON, J. *see* SETTERFIELD, J.
THIELITZ, A., HELMDACH, M., RÖPKE, E-M. & GOLLNICK, H. Lipid analysis of follicular casts from cyanoacrylate strips as a new method for studying therapeutic effects of antiacne agents, 19
TOH, C.T. *see* GRABCZYNSKA, S.A.
TOMINAGA, A., TAJIMA, S., ISHIBASHI, A. & KIMATA, K. Reticular erythematous mucinosis syndrome with an infiltration of factor XIIIa+ and hyaluronan synthase 2+ dermal dendrocytes, 141
TORIBIO, J. *see* DE LA TORRE, C.
TOSSERAMS, E.F.A. *see* SWINKELS, O.Q.J.
TROJANOWSKA, M. *see* CZUWARA-LADYKOWSKA, J.
TRUCHOT, F., GRÉZARD, P., WOLF, F., BALME, B. & PERROT, H. Multiple idiopathic mucocutaneous neuromas: a new entity?, 826
TSAI, S.F. *see* CHANG, Y.T.
TSAO, C-J. *see* CHEN, G-Y.
TSCHACHLER, E. *see* GEUSAU, A.
TSCHACHLER, E. *see* RENDL, M.
TSUBOI, H., FUJIMURA, T. & KATSUOKA, K. Angiolymphoid hyperplasia with eosinophilia in the oral mucosa, 365
TSUCHIYA, T. *see* HOSOI, J.
TSUKAHARA, K. TAKEMA, Y., MORIWAKI, S., FUJIMURA, T. & IMOKAWA, G. Dermal fluid translocation is an important determinant of the diurnal variation in human skin thickness, 590
TURNER, R. *see* POWELL, J.
UEDA, M. *see* YOSHIZAKI, Y.
UEDA, T. *see* YOSHIZAKI, Y.
UEHARA, M. *see* SUGIURA, H.
UERLICH, M. *see* GERDSEN, R.
UERLICH, M. *see* PETROW, W.
UERLICH, M. *see* WENZEL, J.

UGRAS, S. *see* METIN, A.
UHODA, I. *see* RICHERT, B.
ULLMAN, S. *see* GNIADECKA, M.
UMEDA, M. *see* YOSHIDA, Y.
VAHLQUIST, A. *see* VIROLAINEN, E.
VÄKEVÄ, L. *see* NEVALA, H.
VAN ANDEL, P. *see* ARNOLD, W.P.
VAN DE WINKEL, J.G.J. *see* KIEKENS, R.C.M.
VAN DER KERKHOF, P.C.M. *see* SWINKELS, O.Q.J.
VAN DER VALK, P.G.M. *see* SWINKELS, O.Q.J.
VAN STEENSEL, M.A.M., KOEDAM, M.I., SWINKELS, O.Q., RIETVELD, F. & STEIJLEN, P.M. Woolly hair, premature loss of teeth, nail dystrophy, acral hyperkeratosis and facial abnormalities: possible new syndrome in a Dutch kindred, 157
VANDERSTEEN, D.P. *see* KIM, Y-C.
VANHOUTTE, F.P. *see* BHUSHAN, M.
VARETTONI, M. *see* BRAZZELLI, V.
VARMA, S. *see* CHAVE, T.A.
VARMA, S. *see* HOLME, S.A.
VASSALLO, C. *see* BRAZZELLI, V.
VAUGHAN, R.W *see* MILLARD, T.P.
VAUGHAN, R.W. *see* SETTERFIELD, J.
VEGA, A. *see* DE LA TORRE, C.
VEGA-LOPEZ, F. *see* BLACKWELL, V.
VÉLEZ, A., FERNÁNDEZ-DE-LA-PUEBLA, R. & MORENO, J-C. Second case of papularpurpuric gloves-and-socks syndrome related to hepatitis B infection, 515
VIELUF, D. *see* SCHÄFER, T.
VIGNON-PENNAMEN, M.D. *see* INGEN-HOUSZ-ORO, S.
VIROLAINEN, E., NIEMI, K-M., GÅNEMO, A., KERE, J., VAHLQUIST, A. & SAARIALHO-KERE, U.K. Ultrastructural features resembling those of harlequin ichthyosis in patients with severe congenital ichthyosiform erythroderma, 480
VISSER-VAN ANDEL, M. *see* ARNOLD, W.P.
VOGULBRUCH, M. *see* KIEHL, P.
VOLKENANDT, M. *see* SCHMID-WENDTNER, M-H.
VOLLER, B. *see* MORARU, E.
VOLLER, B. *see* SCHNIDER, P.
WAKASUGI, S., KAGESHITA, T. & ONO, T. Metastatic melanoma to the palatine tonsil with a favourable prognosis, 327
WAKELIN, S.H., SMITH, H., WHITE, I.R., RYCROFT, R.J.G. & MCFADDEN, J.P. A retrospective analysis of contact allergy to lanolin, 28
WALKER, S.L. *see* NOVAKOVIC, L.
WALLACE, P. *see* JOLLIFFE, V.M.L.
WALLENHAMMAR, L-M. *see* WRANGSJÖ, K.
WAN, Y-H. *see* LI, C-X.
WANG, G. *see* LI, C-X.
WANG, H-Y. *see* PARK, S-W.
WANG, W.J. *see* CHANG, Y.T.
WARLOE, T. *see* SOLER, A.M.
WEHNER, J. & NEUBER, K. *Staphylococcus aureus* enterotoxins induce histamine and leukotriene release in patients with atopic eczema, 302
WELKER, P. *see* ZUBERBIER, T.
WELSH, K.I. *see* SETTERFIELD, J.
WELSH, M. *see* SMITH, K.J.
WENDTNER, C-M. *see* SCHMID-WENDTNER, M-H.
WENINGER, W. *see* RENDL, M.
WENZEL, J., GERDSEN, R., UERLICH, M., WENZEL, J., BIEBER, T. & BOEHM, I. Antibodies targeting extractable nuclear antigens: historical development and current knowledge, 859
WEST, N.C. *see* COX, N.H.
WESTERHOF, W. *see* ZAMANI, M.
WHANG, S.W., LEE, S.H., ELIAS, P.M., FEINGOLD, K.R., CHOI, E.H. & AHN, S.K. Intralesional steroids reduce inflammation from extravasated chemotherapeutic agents, 680
WHITE, I.R. *see* DARVAY, A.
WHITE, I.R. *see* WAKELIN, S.H.
WHITTAKER, S. *see* MAO, X.
WHITTAKER, S.J. *see* CHILD, F.J.
WHITTAKER, S.J. *see* JOLLIFFE, V.M.L.
WHITTOCK, N.V., ASHTON, G.H.S., GRIFFITHS, W.A.D., EADY, R.A.J. & MCGRATH, J.A. New mutations in keratin 1 that cause bullous congenital ichthyosiform erythroderma and keratin 2e that cause ichthyosis bullosa of Siemens, 330
WILHELM, K.P., BÖTTJER, B. & SIEGERS, C-P. Quantitative assessment of primary skin irritants *in vivo* in a cytotoxicity model. Comparison with *in vitro* human irritation tests, 709
WILKINSON, J.D. *see* WILLIS, C.M.
WILLEMZE, R. *see* BEKKENK, M.W.
WILLIAMS, H.C. *see* MCNALLY, N.J.
WILLIAMS, H.C. *see* SMITHARD, A.
WILLIAMS, T.L., MAY, C.R., ESMAIL, A., GRIFFITHS, C.E.M., SHAW, N.T., FITZGERALD, D., STEWART, E., MOULD, M., MORGAN, M., PICKUP, L. & KELLY, S. Patient satisfaction with teledermatology is related to perceived quality of life, 911
WILLIS, C.M., SHAW, S., DE LACHARRIÈRE, O., BAVEREL, M., REICHE, L., JOURDAIN, R., BASTIEN, P. & WILKINSON, J.D. Sensitive skin: an epidemiological study, 258
WILSON, A.G. *see* MILLARD, T.P.
WILSON, N.J.E. *see* FARRAR, C.W.
WIMMERSHOFF, M. *see* SCHERER, K.
WOHLRAB, J., FISCHER, M., WOLTER, M. & MARSCH, W.C. Diagnostic impact and sensitivity of skin biopsies in Sneddon's syndrome. A report of 15 cases, 285
WÖHRL, S., HEMMER, W., FOCKE, M., GÖTZ, M & JARISCH, R. The significance of fragrance mix, balsam of Peru, colophony and propolis as screening tools in the detection of fragrance allergy, 268
WOJNAROWSKA, F. *see* GEE, B.C.
WOJNAROWSKA, F. *see* PALMER, R.A.
WOJNAROWSKA, F. *see* POWELL, J.
WOJNAROWSKA, F. *see* SETTERFIELD, J.
WOLF, F. *see* TRUCHOT, F.
WOLF, P. *see* LEGAT, F.J.
WOLLINA, U. *see* GRAEFE, T.

WOLTER, M. *see* WOHLRAB, J.
WONG, C.K. *see* CHANG, Y.T.
WONG, W-R., KUO, T-T., CHEN, M-J. & CHAN, H-L. Granulomatous variant of chronic pigmented purpuric dermatosis: report of two cases, 162
WOODFOLK, J.A. *see* LUDWIG, R.J.
WOOLFORD, A.J. *see* CHILD, F.J.
WOOLLONS, A & BLACK, M.M. Nodular localized primary cutaneous amyloidosis: a long-term follow-up study, 105
WOOLONS, A. *see* CLINGEN, P.H.
WRANGSJÖ, K., WALLENHAMMAR, L-M., ÖRTENGREN, U., BARREGÅRD, L., ANDREASSON, H., BJÖRKNER, B., KARLSSON, S. & MEDING, B. Protective gloves in Swedish dentistry: use and side effects, 32
WULF, H.C. *see* GNIADECKA, M.
XIANGSHENG, CHEN *see* HENG, GU
XIUQIN, CHEN *see* HENG, GU
YAMADA, S. *see* SHIMOMURA, Y.
YAMAGUCHI, Y. *see* YOSHINO, T.
YAMAJI, A. *see* SUGIURA, H.
YAMAKAGE, A. *see* OHTSUKA, T.
YAMAMOTO, S. *see* MORITA, E.
YAMAMOTO, T. *see* OGATA, K.
YAMAMOTO, Y. *see* OGATA, K.
YAMANE, K. *see* KUBO, M.
YAMANE, K. *see* YAZAWA, N.
YAMASAKI, E., ARAGANE, Y., KAWADA, A. & TESUKA, T. Immunohistochemical detection for nuclear β-catenin in sporadic basal cell carcinoma, 771
YAMASAKI, M. *see* MIYAGAWA, S.
YAMAZAKI, S. *see* OHTSUKA, T.
YAN, YAN *see* HENG, GU
YANAGISAWA, S. *see* SONODA, T.
YANCEY, K.B. *see* SCHMIDT, E.
YAZAWA, N., IHN, H., YAMANE, K., KUBO, M., FUJIMOTO, M., KIKUCHI, K., SOMA, Y. & TAMAKI, K. Elevated circulating soluble CD30 levels in patients with polymyositis/dermatomyositis, 676
YEUNG, C.K *see* AU, W.Y.
YILMAZ, E. *see* ERMIS, O.
YONEDA, K. *see* YOSHIDA, Y.
YOON, J-B. *see* PAIK, J-H.
YOSHIDA, Y., YONEDA, K., UMEDA, M., IDE, C. & FUJIMOTO, K. Localization of sphingomyelin during development of dorsal and tail epidermis of mice, 758
YOSHIKAWA, K. *see* YOSHINO, T.
YOSHINO, T. *see* ASAGOE, K.
YOSHINO, T., ASADA, H., ANDO, Y., FUJII, H., YAMAGUCHI, Y., YOSHIKAWA, K. & ITAMI, S. Impaired responses to peripheral blood mononuclear cells to T-cell stimulants in alopecia areata patients with a poor response to topical immunotherapy, 415
YOSHIOKA, A. *see* MIYAGAWA, S.
YOSHIZAKI, Y., KANKI, H., UEDA, T., ICHIHASHI, M. & UEDA, M. A further case of plantar squamous cell carcinoma arising in Olmsted syndrome, 685
YOUN, C.S. & CHO, K.H. Eosinophilic pustular folliculitis treated with naproxen, 514
YOUNG, A.R. *see* NOVAKOVIC, L.
YOUNG, B.D. *see* MAO, X.
YURA, A. & SHIMIZU, T. Trends in the prevalence of atopic dermatitis in school children: longitudinal study in Osaka Prefecture, Japan, from 1985 to 1997, 966
ZAKYNTHINOS, S. *see* PAPADAVID, E.
ZAMANI, M., SPAEPEN, M., SGHAR, S.S., HUANG, C., WESTERHOF, W., NIEUWEBOER-KROBOTOVA, L. & CASSIMAN, J.J. Linkage and association of HLA class II genes with vitiligo in a Dutch population, 90
ZELGER, B.W.H. & CERIO, R. Xanthogranuloma is the archetype of non-Langerhans cell histiocytoses, 369
ZHANG, Y-G. *see* LI, C-X.
ZHAO, X-D. *see* LI, C-X.
ZILLIKENS, D. *see* LEVERKUS, M.
ZILLIKENS, D. *see* SCHMIDT, E.
ZOLLNER, T.M. *see* GRUNDMANN-KOLLMANN, M.
ZOLLNER, T.M. *see* LUDWIG, R.J.
ZUBERBIER, T., WELKER, P., GRABBE, J. & HENZ, B.M. Effect of granulocyte macrophage colony-stimulating factor in a patient with benign systemic mastocytosis, 661

Subject

acanthosis nigricans with the sign of Leser-Trélat and cholangiocarcinoma (Correspondence) 506
N-acetylcysteine, angio-oedema due to high doses in anticonvulsant hypersensitivity syndrome (Correspondence) 854
acitretin, assessment of treatment in females of childbearing age and risk of teratogenicity (Correspondence) 1028
acne
clinical and therapeutic study in infancy 463
epidemiology and risk of smoking 100
prevalence, knowledge about and psychological morbidity in mid-adolescence 274
acne conglobata of the buttocks, effect of surgery for on chronic glomerulonephritis (Correspondence) 363
acral pseudolymphomatous angiokeratoma of childhood (Correspondence) 512
actinic keratoses of the scalp, photodynamic therapy (Case report) 502
actinic prurigo, candidate gene analysis 229
adult T-cell leukaemia/lymphoma, comparative genomic hybridization, FISH and cytogenetics (Case report) 117
African hair growth parameters 294
aging, human dermal intrinsic and actinic, glycation during 10
allopurinol in acquired perforating collagenesis (Correspondence) 174
aloe vera, wound-healing effect of glycoprotein fraction isolated from 535
alopecia, androgenetic
effect of cyclosporin on progression (Correspondence) 841
prevalence and types in Korea 95
alopecia areata, response to topical immunotherapy 415
α-catenin, role in determination of biological behaviour of keratoacanthoma 582
Alternaria infectoria, sporotrichoid phaeohyphomycosis due to (Case report) 484
amyloidosis
cutaneous, apolipoproteins E and AI 422
macular (Correspondence) 849
nodular localized primary cutaneous 105
anaphylaxis due to 5-methoxypsoralen (Case report) 820
angio-oedema due to high *N*-acetylcysteine doses in anticonvulsant hypersensitivity syndrome (Correspondence) 854
angiolymphoid hyperplasia of the oral mucosa (Correspondence) 365
anorexia nervosa, linear eczema craquelé due to acute oedema (Correspondence) 357
antiacne agents, therapeutic effects 19
anticonvulsant hypersensitivity syndrome, angio-oedema due to high *N*-acetylcysteine doses (Correspondence) 854
antifungals, long-term efficacy in toenail onychomycosis 446
antikeratin autoantibody purification from normal human serum and effects on cultured human keratinocytes 736
antiretroviral therapy-induced remission of epidermodysplasia verruciformis-like eruption in HIV infection (Correspondence) 669
antistreptococcal interventions in guttate and chronic plaque psoriasis 886
apolipoproteins in cutaneous amyloid 422
aquarium, cercarial dermatitis contracted via contact with (Case report) 638
arsenicosis, cutaneous malignancy in (Correspondence) 185
aspirin and induction of allergic symptoms in food-dependent exercise-induced anaphylaxis (Case report) 336
atopic dermatitis (Topical review) 380
double-blind placebo-controlled house dust mite control measures in adult patients 70
effects of *S. aureus* enterotoxin (Concise communication) 302
efficacy of basiliximab (Correspondence) 350
evaluation of diagnostic criteria 428
facial, tacrolimus lotion formulation 794
heterogeneity in macrophage and dendritic cell populations in cutaneous inflammation 957
and home environment 729
impact on children and families in primary care (Abstract) 374
mycophenolate mofetil therapy (Correspondence) 351
tissue eosinophilia in acute and chronic 719
trends in prevalence in Japanese school children 966
autoimmune haemolytic anaemia with RosaiDorfman disease (Case report) 323

B-cell lymphoma, primary brain, in patient with pemphigus vulgaris receiving immunosuppressive therapy (Correspondence) 510
basal cell carcinoma
follow-up practices 949
immunohistochemical β-catenin detection 770
photodynamic therapy 1, 75
recurrence and cosmesis following complete response to photodynamic therapy 467
basiliximab efficacy in atopic dermatitis (Correspondence) 350
Behçet's disease, famciclovir therapy 798
β-catenin
expression in pilomatrixoma 576, (Concise communication) 624
immunohistochemical detection in sporadic basal cell carcinoma 770
loss of expression and disease progression in melanoma 210
role in determination of biological behaviour of keratoacanthoma 582
botulinum toxin therapy
dose thresholds and local anhidrotic effect (Correspondence) 368
in focal hyperhidrosis 289

© 2001 British Association of Dermatologists

Bowenoid papulosis, imiquimod immunotherapy (Correspondence) 1022
Bowen's disease, basal cell keratin 14 expression and tumour progression 223
bronchial squamous cell carcinoma, eosinophilic cellulitis associated (Correspondence) 678
budesonide hypersensitivity, repetitive usage testing in experimental nickel–allergic contact dermatitis 38
bullous congenital ichthyosiform erythroderma, keratin 1 mutations (Case report) 330
bullous pemphigoid
in pregnancy (Case report) 994
in surgical wounds (Correspondence) 670

calcinosis, diagnosis by Raman spectroscopy (Correspondence) 672
calcinosis cutis, dystrophic, in venous ulcers (Correspondence) 364
calcipotriol, topical
effect on response of vitiligo to PUVA therapy (Concise communication) 472
as monotherapy and in combination with PUVA in vitiligo (Concise communication) 476
capecitabine, onycholysis and onychomadesis associated (Correspondence) 521
cat scratch, *Nocardia asteroides* infection following (Correspondence) 684
CD30, circulating soluble levels in polymyositis/dermatomyositis (Correspondence) 676
cercarial dermatitis contracted via contact with aquarium (Case report) 638
chemotherapeutic agent extravasation, use of intralesional steroids to reduce inflammation (Correspondence) 680
cholangiocarcinoma with acanthosis nigricans and the sign of Leser-Trélat (Correspondence) 506
chronic B-cell lymphocytic leukaemia and paraneoplastic pemphigus (Case report) 127
chronic pigmented purpuric dermatosis, granulomatous variant (Case report) 162
chronic renal insufficiency, reactive multiple keratoacanthoma in (Correspondence) 844
cicatricial pemphigoid
with circulating autoantibodies to β4 integrin, bp180 and bp230 (Case report) 998
IgA and IgG autoantibodies target epitopes of bp180 777
clinical research and systems dermatology (Correspondence) 184
clothing, ultraviolet protection (Correspondence) 1030
collagenesis, acquired perforating
allopurinol therapy (Correspondence) 174
and scratching (Correspondence) 173
collodion baby and loricrin keratoderma (Case report) 657
congenital ichthyosiform erythroderma and loricrin keratoderma (Case report) 657
CONSORT 378
contact dermatitis
current concepts (Topical review) 527
guidelines for care 877
lanolin 28
photoallergic 597
contact hypersensitivity, mitigation of stress-induced suppression by odorant inhalation 716
corticosteroids
intralesional, following chemotherapeutic agent extravasation (Correspondence) 680
topical, effects on short-contact high-dose dithranol therapy 63
cowpox virus, rapid identification (Case report) 146
CREST syndrome and hereditary haemorrhagic telangiectasia (Case report) 646
cryotherapy of warts 554
cutaneous amyloid, apolipoproteins E and AI 422
cutaneous larva migrans, clinical features and management 434
cutaneous lupus erythematosus, candidate gene analysis 229
cutaneous natural killer-cell lymphoma, serum IL-18 levels (Correspondence) 674
cutaneous T-cell lymphoma
expression of Fas(APO-1/CD95) on lesional T cells (Correspondence) 1031
proapoptotic and antiapoptotic markers 928
serum IL-18 levels (Correspondence) 674
cyanoacrylate strips, lipid analysis of follicular casts from 19
cyclosporin
concomitant with sirolimus in severe psoriasis 438
effect on progression of androgenetic alopecia (Correspondence) 841
cytochrome P450 4A11 expression in human keratinocytes 748

dapsone therapy of lichenoid vasculitis with myeloproliferative disorder (Correspondence) 359
dental infection with chronic urticaria (Correspondence) 516
dermal cylindroma, multiple, malignant transformation (Case report) 653
dermatological outpatients, patient satisfaction 617
dermatomyositis, circulating soluble CD30 levels (Correspondence) 676
dermatophilosis mimicking ringworm (Correspondence) 170
dermatophyte pseudomycetoma of the scalp (Case report) 151
dermatophytosis, chronic, in lamellar ichthyosis (Correspondence) 518
dermis, intrinsic and actinic aging, glycation during 10
desmoplakin autoantibodies in pemphigus vulgaris (Correspondence) 837
dithranol, short-contact high-dose therapy, effects of topical corticosteroids 63

E-cadherin, role in determination of biological behaviour of keratoacanthoma 582
eating disorders and dissatisfaction with skin appearance (Concise communication) 110
eccrine sweat gland ultrastructure in hyperhidrosis (Concise communication) 298
eclipse naevus (Correspondence) 1023
eczema craquelé

linear, due to acute oedema in anorexia nervosa (Correspondence) 357
resulting from acute oedema (Correspondence) 355
elastosis, linear focal (Correspondence) 188
EMLA, plasma concentration of lignocaine and prilocaine after 24-hr application to leg ulcers 530
endothelin 1, stimulated secretion and hyperpigmentation in seborrhoeic keratosis involves the high expression of endothelin-converting enzyme-1α and TNF-α 895
eosinophilia in acute and chronic atopic dermatitis 719
eosinophilic cellulitis associated with bronchial squamous cell carcinoma (Correspondence) 678
epidermis
human reconstructed, effect of topical lactic acid on vascular endothelial growth factor secretion 3
isolation (Abstract) 374
localization of sphingomyelin during dorsal and tail development in mice 757
epidermoid cyst
carcinoma arising in (Correspondence) 505
intraosseous, mimicking psoriasis (Correspondence) 366
epithelioid blue naevus of the genital mucosa (Case report) 496
Epstein–Barr virus
latent infection with hydroa vacciniforme (Correspondence) 509
natural killer/T-cell lymphoma following antigenaemia (Correspondence) 668
erythema dyschromicum perstans with lichen planopilaris (Correspondence) 522
eumycetoma due to *Madurella mycetomatis* (Case report) 1018
extractable nuclear antigens, antibodies targeting 859

famciclovir in Behçet's disease 798
Fas(APO-1/CD95) expression on lesional T cells in cutaneous T-cell lymphoma (Correspondence) 1031
fibulin-2 deposition and colocalization with elastic fibres in solar elastosis 217
fixed drug eruption, current causes (Correspondence) 667
flexural erythematous eruption following peripheral blood stem cell transplantation (Case report) 490
folliculitis
eosinophilic pustular, naproxen therapy (Correspondence) 514
necrotizing infundibular crystalline (Case report) 165
fragrance allergy, screening tools 268

γ-catenin, role in determination of biological behaviour of keratoacanthoma 582
γ-gliadin and wheat-dependent exercise-induced anaphylaxis (Correspondence) 182
gelatinase inhibition by zinc oxide (Correspondence) 852
gemcitabine-associated CD8+CD30+ pseudolymphoma (Case report) 650
genital mucosa, epithelioid blue naevus (Case report) 496
glomerulonephritis, effects of surgery for acne conglobata of the buttocks (Correspondence) 363
gloves, protective, use and side effects in Swedish dentistry 32
gnathostomiasis in traveller returning from Mexico (Case report) 487
gold therapy, yellow nails associated (Correspondence) 853
graft-versus-host disease, changes in Langerhans cells during course of 918
granulocyte macrophage colony-stimulating factor in benign systemic mastocytosis (Case report) 661
granuloma faciale, extrafacial lesions (Correspondence) 360

haemangioma, laser therapy (Abstract) 375
hair
growth parameters in Africa 294
loss following terbinafine therapy (Correspondence) 840
hepatitis B infection, and papular–purpuric gloves-and-socks syndrome (Correspondence) 515
HIV infection, remission of epidermodysplasia verruciformis-like eruption following antiretroviral therapy (Correspondence) 669
HLA associations
mucous membrane pemphigoid 406, (Concise communication) 804
mycosis fungoides 974
vitiligo 90
home environment and atopic dermatitis 729
house dust mite control measures in adult atopic dermatitis 70
human herpesvirus-8 detection in Kaposi's sarcoma after immunosuppressive therapy for bullous pemphigoid (Case report) 633
human papillomavirus
and carcinoma arising in epidermoid cyst (Correspondence) 505
intracytoplasmic inclusion bodies in warts associated (Correspondence) 171
hydroa vacciniforme with latent EBV infection (Correspondence) 509
hyperhidrosis
botulinum toxin therapy 289
eccrine sweat gland ultrastructure (Concise communication) 298

ichthyosiform erythroderma
association with generalized pustular psoriasis of von Zumbusch type (Case report) 822
severe congenital, features resembling harlequin ichthyosis (Case report) 480
ichthyosis bullosa of Siemens, keratin 2e mutations (Case report) 330
icodextrin-induced acute generalised exanthematous pustulosis (Correspondence) 1026
IgA antibodies
in cicatricial pemphigoid 777
false-negative assay results (Concise communication) 986
IgA paraproteinaemia, with IgG antiepithelial antibodies, subcorneal pustular dermatosis and pyoderma gangrenosum (Correspondence) 851
IgG antibodies
in cicatricial pemphigoid 777

with subcorneal pustular dermatosis, pyoderma gangrenosum and IgA paraproteinaemia (Correspondence) 851
imiquimod immunotherapy in Bowenoid papulosis (Correspondence) 1022
intercellular adhesion molecules
effect of treatment on serum levels in psoriasis (Correspondence) 1027
effect of UVA and UVB tanning lamps on expression 54
interleukins
IL-6, effects of UVA and UVB tanning lamps on expression 54
IL-18, serum levels in cutaneous T-cell and natural killer-cell lymphoma (Correspondence) 674
irritants, *in vitro* quantitative assessment in cytotoxicity model 709
irritation, multifactorial approach to testing 696

Kaposi's sarcoma
after immunosuppressive therapy for bullous pemphigoid, detection of HHV-8 (Case report) 633
classic, anaplastic transformation (Correspondence) 845
keratinocytes
cultured human, effects of antikeratin autoantibodies from normal human serum 736
cytochrome P450 4A11 expression 748
keratins
keratin 1 mutations causing bullous congenital ichthyosiform erythroderma (Case report) 330
keratin 2e mutations causing ichthyosis bullosa of Siemens (Case report) 330
keratin 6irs in inner root sheath of hair follicles 558
keratin 14 basal cell expression and tumour progression in Bowen's disease 223
keratoacanthoma
determination of biological behaviour 582
reactive multiple, with chronic renal insufficiency (Correspondence) 844
keratoderma, loricrin (Case report) 657
Koebner phenomenon following scratch test in scleromyxoedema (Case report) 306
Korea, prevalence and types of androgenetic alopecia 95

lactic acid, topical, effect on vascular endothelial growth factor secretion in human reconstructed epidermis 3
lamellar ichthyosis, chronic dermatophytosis in (Correspondence) 518
Langerhans cell histiocytosis, methotrexate therapy (Case report) 137
Langerhans cells
changes in during course of murine graft-versus-host disease 918
effects of solar-simulated radiation dose fractionation 237
lanolin, contact allergy 28
laser therapy
haemangioma (Abstract) 375
hypertrophic scar formation following laser ablation of plantar warts in cyclosporin-treated patients (Case report) 1005
port-wine stains 79
sea-urchin spine removal (Correspondence) 169
leishmaniasis, post-kala-azar, diagnosis (Concise communication) 630
leprosy, borderline, inducible nitric oxide synthase and nitrotyrosine expression (Concise communication) 808
leucoderma, vitiligo-like, during photochemotherapy for mycosis fungoides (Case report) 1008
liarozole, oral therapy in palmoplantar pustular psoriasis 546
lichen planopilaris with erythema dyschromicum perstans (Correspondence) 522
lichen planus, oral, and transfusion-transmitted virus infection (Concise communication) 990
lichen sclerosus with squamous cell carcinoma of the penis 85
linear IgA disease, vancomycin-induced (Case report) 815
loricrin keratoderma (Case report) 657
lymphocyte infusion for relapsed leukaemia, vitiligo following (Case report) 1015
lymphomatoid papulosis
following primary cutaneous anaplastic large cell lymphoma (Case report) 123
natural killer-cell phenotype (Case report) 318

macrophages, effects of solar-simulated radiation dose fractionation 237
Madurella mycetomatis, eumycetoma due to (Case report) 1018
mastocytosis
benign systemic, GM-CSF therapy (Case report) 661
cutaneous, with ovarian mixed germ cell tumour (Case report) 309
matrix metalloproteinase inhibition by zinc oxide (Correspondence) 852
melanoma
loss of β-catenin expression and disease progression 210
metastasis to palatine tonsil (Case report) 327
prognostic immunohistochemical markers 203
protective aspects of outdoor activities in childhood 602
reverse transcription-polymerase chain reaction 193, 195
risk of second primary malignancies 981
screening audit 783
tumour marker stability in serum and blood on storage and processing (Correspondence) 1030
methotrexate in Langerhans cell histiocytosis (Case report) 137
5-methoxypsoralen-induced anaphylaxis (Case report) 820
molecular killing mechanism alterations and skin disease 868
mucous membrane pemphigoid, HLA associations 406, (Concise communication) 804
multicentric reticulohistiocytosis associated with idiopathic myelofibrosis (Correspondence) 1033
multiple eccrine poroma with mycosis fungoides (Case report) 829

Mycobacterium marinum identification in sea-urchin granuloma (Concise communication) 114
mycophenolate mofetil in atopic dermatitis (Correspondence) 351
mycosis fungoides
HLA associations in Jewish patients 974
with multiple eccrine poroma (Case report) 829
vitiligo-like leucoderma during photochemotherapy (Case report) 1008
myelofibrosis associated with multicentric reticulohistiocytosis (Correspondence) 1033

naevoid basal cell carcinoma syndrome with palmar epidermoid cyst, milia and maxillary cysts (Correspondence) 508
nail yellowing associated with gold therapy for rheumatoid arthritis (Correspondence) 853
naproxen in eosinophilic pustular folliculitis (Correspondence) 514
natural killer/T-cell lymphoma following EBV antigenaemia (Correspondence) 668
neuroma, multiple idiopathic mucocutaneous (Case report) 825
nitric oxide synthase expression in borderline leprosy (Concise communication) 808
nitrotyrosine expression in borderline leprosy (Concise communication) 808
Nocardia infection
following cat scratch (Correspondence) 684
primary cutaneous (Case report) 154
Northern Bavaria, occupational skin disease between 1990 and 1999 453

occupational skin disease in Northern Bavaria between 1990 and 1999 453
oedema, acute
eczema craquelé due to in anorexia nervosa (Correspondence) 357
eczema craquelé resulting from (Correspondence) 355
ointment, even spread 264
Olmsted syndrome, plantar squamous cell carcinoma in (Correspondence) 685
onycholysis, and onychomadesis, associated with capecitabine (Correspondence) 521
onychomadesis, and onycholysis, associated with capecitabine (Correspondence) 521
onychomycosis
due to *Trichophyton soudanense* (Correspondence) 687
toenail, long-term efficacy of antifungals 446
oral mucosa, angiolymphoid hyperplasia with eosinophilia (Correspondence) 365
outdoor activities in childhood, protective factor for melanoma 602
ovarian mixed germ cell tumour with cutaneous mastocytosis (Case report) 309

papular–purpuric gloves-and-socks syndrome and hepatitis B infection (Correspondence) 515
paraneoplastic pemphigus with chronic B-cell lymphocytic leukaemia (Case report) 127
patch test, sodium lauryl sulphate 704
patient satisfaction of dermatological outpatients 617
pemphigus, paraneoplastic, with chronic B-cell lymphocytic leukaemia (Case report) 127
pemphigus foliaceus with prominent neutrophilic pustules (Case report) 132
pemphigus vulgaris
with autoantibodies to desmoplakin (Correspondence) 837
canine, alopecic phenotype (Correspondence) 176
immunosuppressive therapy, and primary brain B-cell lymphoma (Correspondence) 510
indirect immunofluorescence in diagnosis (Correspondence) 178, (Correspondence) 181
pituitary–adrenal function following dexamethasone–cyclophosphamide pulse therapy 944
penis, squamous cell carcinoma with lichen sclerosus 85
peripheral blood stem cell transplantation, flexural erythematous eruption following (Case report) 490
photochemotherapy
anaphylaxis due to 5-methoxypsoralen (Case report) 820
mycosis fungoides, vitiligo-like leucoderma during (Case report) 1008
photodynamic therapy
basal cell carcinoma 1, 75
extensive scalp actinic keratoses (Case report) 502
photosensitivity
candidate gene analysis 229
sunscreen protection 788
photothermolysis of superficial capillaries, immunohistochemical evaluation of psoriatic plaques following 45
pigmented lesion triage, use of video 904
pilomatrixoma, β-catenin expression 576, (Concise communication) 624
pituitary–adrenal function following dexamethasone–cyclophosphamide pulse therapy in pemphigus 944
plantar squamous cell carcinoma in Olmsted syndrome (Correspondence) 685
platelet-derived growth factor, differential regulation of TGFβ receptors in human dermal fibroblasts 569
polymorphic light eruption, candidate gene analysis 229
polymyositis, circulating soluble CD30 levels (Correspondence) 676
port-wine stains, laser therapy 79
post-kala-azar leishmaniasis, diagnosis (Concise communication) 630
pregnancy, bullous pemphigoid (Case report) 994
primary cutaneous anaplastic large cell lymphoma followed by lymphomatoid papulosis (Case report) 123
primary cutaneous B-cell lymphoma, immunoglobulin heavy chain variable region family expression (Correspondence) 680
pseudolymphoma, gemcitabine-associated CD8+CD30+ (Case report) 650

psoriasis
chronic plaque, antistreptococcal interventions 886
concomitant sirolimus and subtherapeutic cyclosporin 438
effect of treatment on serum levels of ICAM and TNF receptor-1 (Correspondence) 1027
generalized pustular of von Zumbusch type, ichthyosiform erythroderma associated (Case report) 822
guttate
antistreptococcal interventions 886
streptococcal superantigen-induced T-cell proliferation 245
systematic review of treatments 891
immunohistochemical evaluation of plaques following selective photothermolysis of superficial capillaries 45
meta-analysis of studies comparing narrow-band with broad-band UVB (Abstract) 375
narrow-band UVB therapy after salt-water baths and 8-methoxypsoralen baths (Correspondence) 352
palmoplantar pustular, oral liarozole therapy 546
plaque, streptococcal superantigen-induced T-cell proliferation 245
social coping strategies and quality of life 610
pustulosis, acute generalised exanthematous, induced by icodextrin (Correspondence) 1026
PUVA therapy in vitiligo, effects of concurrent topical calcipotriol (Concise communication) 472
pyoderma gangrenosum with IgA paraproteinaemia, IgG antiepithelial antibodies and subcorneal pustular dermatosis (Correspondence) 851

quality of life
and patient satisfaction with teledermatology 911
and social coping strategies in psoriasis 610

Red Sea coral injury, delayed skin reaction (Correspondence) 847
reticular erythematous mucinosis syndrome (Case report) 141
reverse transcription-polymerase chain reaction in malignant melanoma 193, 195
Rosai–Dorfman disease with autoimmune haemolytic anaemia (Case report) 323

sarcoidosis, cutaneous, UVA therapy (Correspondence) 354
scalp
actinic keratoses, photodynamic therapy (Case report) 502
dermatophyte pseudomycetoma (Case report) 151
scar formation following laser ablation of plantar warts in cyclosporin-treated patients (Case report) 1005
Schönlein–Henoch purpura associated with losartan treatment and antineutrophil cytoplasmic antibodies (Correspondence) 362
schwannoma, benign glandular (Case report) 833
scleromyxoedema, Koebner phenomenon following scratch test in (Case report) 306
screening for melanoma 783
sea-urchin granuloma, identification of *Mycobacterium marinum* (Concise communication) 114
sea-urchin spine removal by laser ablation (Correspondence) 169
seborrhoeic keratosis, hyperpigmentation and endothelin 1 secretion involving high expression of endothelin-converting enzyme-1α and TNF-α 895
sensitive skin, epidemiology 258
serum creatine phosphokinase, role of in diagnosis and prognosis of *Vibrio vulnificus* infection 280
sign of Leser-Trélat with acanthosis nigricans and cholangiocarcinoma (Correspondence) 506
sirolimus concomitant with subtherapeutic cyclosporin in severe psoriasis 438
skin biopsy in Sneddon's syndrome 285
skin thickness, determinants of diurnal variation 590
smoking and acne 100
Sneddon's syndrome, skin biopsy 285
social coping strategies and quality of life in psoriasis 610
sodium dodecyl sulphate, effect of environmental humidity on epidermal proliferative response induced by 252
sodium lauryl sulphate, irritant patch testing 704
solar elastosis, fibulin-2 deposition and colocalization with elastic fibres 217
sphingomyelin localization during dorsal and tail epidermis development in mice 757
spindle-cell B-cell lymphoma, cutaneous presentation (Case report) 313
Spitz naevus
angiomatoid (Correspondence) 843
with features of granuloma pyogenicum and pigmented naevus (Correspondence) 349
sporotrichoid phaeohyphomycosis due to *Alternaria infectoria* (Case report) 484
squamous cell carcinoma
bronchial, eosinophilic cellulitis associated (Correspondence) 678
penis, with lichen sclerosus 85
plantar, in Olmsted syndrome (Correspondence) 685
TGFβ receptor expression (Correspondence) 839
Staphylococcus aureus enterotoxin effects in atopic dermatitis (Concise communication) 302
Still's disease, atypical adult presentation (Correspondence) 187
subcorneal pustular dermatosis with pyoderma gangrenosum, IgA paraproteinaemia and IgG antiepithelial antibodies (Correspondence) 851
sunscreen protection in photosensitivity in blue light region 788
syndrome of woolly hair, nail dystrophy, acral hyperkeratosis and facial abnormalities (Case report) 157
systemic lupus erythematosus, multiple minute parakeratotic keratoses of the hands (Correspondence) 682
systems dermatology and clinical research (Correspondence) 184

tacrolimus lotion formulation in facial atopic dermatitis 794
telangiectasia
hereditary benign (Case report) 641

hereditary haemorrhagic, and CREST syndrome (Case report) 646
teledermatology, patient satisfaction and quality of life 911
terbinafine therapy, hair loss following (Correspondence) 840
2,3,7,8 tetrachlorodibenzo-p-dioxin, cutaneous elimination 938
therapy (Topical review) 691
toenail onychomycosis, long-term efficacy of antifungals 446
tophi, cutaneous, diagnosis by Raman spectroscopy (Correspondence) 672
topical contact sensitizers, therapeutic use in benign dermatoses (Review Article) 385
transforming growth factor β receptors
differential expression in squamous cell carcinoma (Correspondence) 839
differential regulation by PDGF in human dermal fibroblasts 569
Trichophyton rubrum, deep dermal invasion directly from epidermis in immunosuppression (Case report) 344
Trichophyton soudanense, endonyx onychomycosis due to (Correspondence) 687
trichotillomania in adult man (Correspondence) 1034
tumour necrosis factor-α, effects of UVA and UVB tanning lamps on expression 54
tumour necrosis factor receptor-1, effect of treatment on serum levels in psoriasis (Correspondence) 1027

ultraviolet radiation
effects of UVA and UVB tanning lamps on IL-6, TNF-α and ICAM-1 expression 54
meta-analysis of studies comparing narrow-band with broad-band UVB in psoriasis (Abstract) 375
narrow-band UVB therapy after salt-water baths and after 8-methoxypsoralen baths in psoriasis (Correspondence) 352
protection by clothing (Correspondence) 1030
UVA therapy of cutaneous sarcoidosis (Correspondence) 354
urticaria
chronic, with dental infection (Correspondence) 516
methotrexate-responsive chronic idiopathic (Case report) 340

vancomycin, linear IgA disease induced by (Case report) 815
vascular endothelial growth factor, effect of topical lactic acid on secretion in human reconstructed epidermis 3
vasculitis, lichenoid, with myeloproliferative disorder (Correspondence) 359
venous ulcers
dystrophic calcinosis cutis (Correspondence) 364
plasma concentration of lignocaine and prilocaine after 24-hr application of EMLA 530
Vibrio vulnificus infection, role of serum creatine phosphokinase levels in diagnosis and prognosis 280
video, use in triage of pigmented lesions 904
vitiligo
after lymphocyte infusion for relapsed leukaemia (Case report) 1015
HLA class II gene linkage and association in Dutch population 90
PUVA therapy, effects of concurrent topical calcipotriol (Concise communication) 472
topical calcipotriol as monotherapy and in combination with PUVA (Concise communication) 476

warts
cryotherapy 554
human papillomavirus-associated, intracytoplasmic inclusion bodies (Correspondence) 171
hypertrophic scar formation following laser ablation in cyclosporin-treated patients (Case report) 1005
wound fluid, antioxidant characteristics (Correspondence) 185
wounds, surgical, bullous pemphigoid arising in (Correspondence) 670

xanthogranuloma in histiocytoses (Correspondence) 369, (Correspondence) 370

zinc oxide inhibition of human gelatinase activity (Correspondence) 852